

### Versatile innovations.

Unique passion.

We love to enhance our customers everyday experiences with unique high-tech appliances and to give discerning connoisseurs pleasure with our products every day.

This is why tireless commitment and perfect craftsmanship flow into the creation of our products.



### 100 years company history.

From the inventor of television to a global, traditional company.



For a century, Loewe has stood for inventive spirit and luxury home cinema experiences. From its founding in 1923 to the invention of the television in 1931, Loewe has developed into a traditional company with worldwide operations and is now active in more than 50 countries with its high-quality, elegant TV and audio products.

The traditional manufactory and the high-tech production lines in Kronach in Upper Franconia continue to be the heart of the Loewe brand.

This is how sustainable high-tech products par excellence are created.

#### Vision & Values.

The epitome of luxury.

Loewe is dedicated to give every product a meaning. A story. A purpose. In dedicated precision work, we want to anchor Loewe as the epitome of luxurious technical products par excellence.

The perfect interplay of technical masterpieces and outstanding design icons is awarded on a regular basis by press and design awards.





# Loewe. Made in Germany.

Kronach, Germany - a place where extraordinary innovative power, impressive tradition and perfect craftsmanship to produce technically sophisticated, unique masterpieces. We create and develop every Loewe product in Germany and almost our entire television portfolio is "Made in Germany". At the same time, Loewe has remained true to its handcrafted production method in the manufactory at its headquarters in Kronach.

Each set is manufactured with attention to detail and is individually calibrated for naturally brilliant colours through precise fine-tuning and tested under the strictest quality criteria. Ultimate cinema feeling, excellent detail, vivid movements, outstanding colour fidelity and impressive sound quality are only a touch of a button away.


#### As vivid as real life. Excellent OLED colour reproduction.

Thrillers, football highlights or nature documentaries with excellent details, velvety smooth motions and brilliant colours fidelity from the first moment you switch on: The 4K OLED display is optimised for every Loewe iconic, stellar and inspire to ensure everything appears absolutely authentic and true to life.

Every 4K OLED display is pre-calibrated at the factory and guarantees rich, deep blacks based on self-illuminating pixels. For breathtaking contrast and enormous image depth. Experience your favorite movies and series more lifelike than ever before.

Loewe stellar	6
Loewe iconic	12
Loewe inspire	14
Loewe callas	16
We. SEE oled dc	18
We. SEE Icd	20
We. <b>BEAM</b>	22








### Ultra HD OLED panels for maximum performance. Made in Germany.

The breathtaking design of the Loewe stellar 97" completely reinterprets the OLED flat screen. 100% Made in Germany with selected materials and a tailor-made OLED panel. Experience an innovative lighting concept that creates magical moments of light and movement for an unrivalled viewing experience with Loewe stellar. The Loewe stellar impresses with state-of-the-art OLED technology - WOLED MLA (Micro Lens Array) and META technology, which was exclusively designed, developed and manufactured by Loewe. The latest generation Ultra HD panels deliver maximum brightness, impressive contrast and picture quality in a class of its own. Equipped with a new dual channel chassis, double triple tuners and a powerful 1,000 GB SSD, the Loewe dr+ system offers a wide range of options for timeshifting, multi-recording and

### Endless smart entertainment possibilities.

archiving - quickly, quietly and energy-efficiently. The Loewe stellar offers endless connectivity and flexibility with the latest premium MTK 4K chipset including improved Al image processing. This also includes the full HDMI 2.1 standard with eARC, ALLM and VRR in Ultra HD resolution with up to 144 Hz for fast console-based gaming of the latest generation. For impressive home cinema, the large 97-inch screen offers a center speaker input. The fast premium smart operating system has all major VoD services pre-installed and ready to use. It offers a wide selection of first-class apps for gaming and streaming, such as Netflix, Amazon Prime Video, YouTube, Disney+, Apple tv+, and many more. The system is also compatible with modern network functions like Miracast, Apple AirPlay, and Matter.





### State-of-the-art Ultra HD OLED technology. Meets timeless design.


The Loewe stellar combines state-of-the-art Ultra HD OLED technology, German craftsmanship, and timeless design. Equipped with the latest Loewe os9, based on Vidaa, the smart TV offers a seamless, connected experience with a curated selection of smart apps - developed for intuitive, effortless control. The elegant aluminum design, integrated Loewe magic.light, and powerful front soundbar with up to 300 watts of total music output ensure a unique audiovisual experience. 100% Made in Germany - for exceptional quality, innovation, and timeless aesthetics. Equipped with a new two-channel chassis, twin triple tuners, and a powerful 1,000 GB SSD, the Loewe dr+ system offers a wide range of options for timeshift, multi-recording, and archiving - fast, quiet,

### Endless connectivity and flexibility. With the latest AI image processing.

and energy-efficient. Whether spontaneous or planned via EPG: recordings are effortless. Tuners for DVB-T2/C/S2 HD and a discreetly integrated, easily accessible CI-CAM slot ensure maximum flexibility for reception and recording.

The fast premium smart operating system has all major VoD services pre-installed and ready to use. It offers a wide selection of first-class apps for gaming and streaming, such as Netflix, Amazon Prime Video, YouTube, Disney+, Apple tv+, and many more. The system is also compatible with modern network functions like Miracast, Apple AirPlay, and Matter.






### Ultra HD OLED panels for maximum performance. Made in Germany.

The breathtaking design of the Loewe stellar reinterprets the OLED flat screen completely new - a born show star, that makes a grand entrance in any upscale interior. High-quality materials and a 360-degree design offer an unrivalled aesthetic experience. The unique display cover made of real concrete and the brushed aluminium frame create a unique design. 100% Made in Germany, from the construction to the production of the OLED panel, this Loewe TV offers excellent picture and sound quality that sets new standards. Experience with the Loewe stellar an innovative lighting concept that creates magical moments of light and movement.

### Endless smart entertainment possibilities.

The powerful integrated active sound system delivers an impressive total music output up to 300 watts. The integrated SSD hard disc recorder offers limitless entertainment. For gaming enthusiasts, the native 144Hz VRR delivers a professional gaming experience. With the new smart Loewe os8, you experience limitless connectivity and intuitive operation. Thanks to the intelligent hidden cable management, your environment remains free from annoying cable clutter. Experience the future of television with the Loewe stellar - a masterpiece of German engineering and design aesthetics.






### State-of-the-art TV technology. Picture quality Made in Germany.

An impressive combination of television and front-firing soundbar in a setup solution that, in addition to excellent TV and audio technology Made in Germany, impresses above all with its unique design: with its sculptural, coherent design language, the Loewe iconic sets strong accents and new standards for luxury-class home entertainment. The setup solution of the Loewe iconic is handcrafted from the material Syno-Stone. Syno-Stone is a solid mineral material, which is is robust and durable and yet feels as heavy and cool as stone. Available in the colours Graphite Grey and Pure White or customisable through our exclusive colour selection options of the iconic floor stand and speaker covers.

### Individual design creation. For the perfect living ambience.

Create your personal TV design icon with the Loewe iconic collection using our exclusive colour selection options. The colour scheme of the Loewe iconic floor stand and the speaker cover can be customised so that your TV design icon integrates seamlessly into your living space. The timeless design icon presents itself with the highest quality OLED displays in 55' and 65' inch. The powerful soundbar with a total music output of 360 watts and integrated subwoofers is elegantly and discreetly integrated behind a behind a high-quality fabric panel. Enjoy an artfully arranged TV and audio quality with an ultra-realistic, impressive picture and sound experience.







### For smart streaming and entertainment.

The future of smart TVs: pre-calibrated Ultra HD OLED panel with HDR and Dolby Vision™. The Loewe inspire is the modern and individual all-rounder for smart entertainment with extremely fast Loewe os, Apple AirPlay and DTS Play-Fi. Whether watching TV, using video-on-demand, browsing media libraries, listening to music, surfing the Internet or accessing online streaming services - your entertainment programme can be conveniently controlled via the smart TV platform or by voice command. Made in Germany and equipped with integrated Loewe dr+, invisible sound and flexible modular audio solutions. The Loewe inspire impresses with an unmistakable symbiosis of tradition, innovation and modular installation and sound solutions.

### Modular sound-solutions for every wish and situation.

The Loewe multi-talent presents itself with the invisible sound as a stylish, minimalist design statement and offers a magical picture and sound experience at the same time. Take your home entertainment to the next level with the optional Loewe klang bar5 mr soundbar and klang sub5 subwoofer for first-class cinema sound in your living room. With 5.1.2 Dolby Atmos and DTS:X technology, enjoy an immersive 3D audio experience that brings every detail to life. With its elegant and timeless design, the Loewe klang bar5 mr and klang sub5 set complements the Loewe inspire perfectly – a true must-have for discerning music and film enthusiasts.





### Fast and direct streaming. With Apple AirPlay and DTS Play-Fi.

Brilliant TV experience with UHD resolution and a wide range of HDR formats including Dolby Vision<sup>TM</sup>. Available in customised 32 and 43 inch slim edge LED panels, the Loewe callas offers an exceptional viewing angle, wide colour gamut for vivid colours, a fast response time and low energy consumption. Its flat housing design without negative clouding or cross-light loss effects ensures the most natural and brilliant picture reproduction even with smaller screen sizes.

### Flexible connections. With HDMI 2.1 and USB Recording.

The super-fast and intelligent Loewe os optimises your entertainment experience through seamless interaction and connectivity. It supports Miracast, Apple AirPlay and DTS Play-Fi and enables a seamless connection with smart home and multiroom audio products. The Loewe callas is based on a new high-performance processor and runs the latest Loewe os based on Vidaa for fast access and full support of your favourite features and apps.

We. SEE oled dc

# Newest TV Technology. For Streaming and Gaming Fans.


Super-fast smart TV with OLED panel. With HDR and Dolby Vision  $^{\text{TM}}$ .

With Apple AirPlay and Matter.

Impressive 60 watts invisible sound with Dolby Atmos.

Smart-Streaming dual channel Ultra HD TV.





### Ultra HD OLED-Panel. With HDR and Dolby $Vision^{TM}$ .

Immerse yourself in brilliant action and experience entertainment at its finest – with the We. SEE oled dual channel. Whether it's exciting series, blockbusters, gaming or music streaming: this smart TV transforms every moment into an extraordinary experience. Enjoy crisp images in Ultra HD resolution with the full spectrum of HDR formats, including Dolby Vision™, on

### Fast and direct streaming. With Apple AirPlay and Matter.

state-of-the-art, slim OLED panels. The integrated sound system with Dolby Atmos technology delivers an impressive total music output of 60 watts via invisibly integrated speakers - for clear, room-filling sound that brings every detail to life. We. SEE oled dc is your perfect companion for unlimited streaming, intense gaming, and unforgettable entertainment - all at the touch of a button.

#### We. SEE Icd

# For a new perspective. Smart streaming TV.

Brilliant and natural pictures. With Ultra HD LED.

Flexible connections. With HDMI 2.1 and VRR.

Remote control - Intuitive with Bluetooth and voice command.






### Television, streaming or gaming. Flexible and brilliant.

Television that inspires. The We. SEE Icd is the perfect blend of cutting-edge technology and tradition. With its state-of-the-art functions, this Ultra HD LED streaming TV impresses with a wide colour spectrum, stunning, high-contrast images and impressive depth effects that guarantee unique visual worlds. The integrated front-firing soundbar with Dolby Atmos generates an unrivalled sound experience with a total music output of 60 watts. The new We. SEE Icd is made for your individual feel-good programme and is always perfectly matched to what you need:

### All important streaming services. Direct and fast access.

Television, streaming or gaming. A smart all-rounder for perfect entertainment. The We. by Loewe os8 operating system and the Vidaa App Store offer all important streaming services such as Netflix, YouTube, Amazon prime video, Disney+, Apple tv+, Rakuten, Deezer, Paramount+, HD+, Zattoo, FIFA+ and more. In addition, We. by Loewe also supports Miracast, Apple AirPlay and DTS Play-Fi for even further interaction and connectivity with smart home and multi-room audio products. The stylish remote control enables direct access to five major VOD streaming services at the touch of a button.

 $^{20}$  -





### Discover the future of entertainment with We. BEAM.

The We. BEAM is the first intelligent mini projector with ALPD laser technology in the EU, which offers outstanding picture quality and brightness. With its own powerful operating system and integrated Netflix and a variety of other VoD services, it enables independent streaming without additional devices. It is quick to start, easy to use and offers access to diverse content via the NetRange App Store and an open browser. The smart mini projector with ALPD engine offers Full-HD, genuine 500 ANSI lumens, high contrast and perfect uniformity. It has

#### Home cinema experience. Impressive picture quality.

automatic focus, alignment and keystone correction as well as a low-noise fan for maximum ease of use. The ALPD engine is energy-efficient and durable and ensures breathtaking picture quality with vibrant colours and high contrast. Thanks to automatic screen adjustment, the We. BEAM offers flexible screen sizes from 40 to 120 inches with the optimum 'sweet spot' at around 80 inches and a distance of just 1.5 to 4 or 5 metres. Ideal for white walls, dark rooms or covered terraces. It supports standard, rear and ceiling projection for maximum installation flexibility.

#### Loewe plus

# Set-up solutions for every living space.



#### Perfectly positioned.

The Loewe set-up solutions adapt to any interiors, so each TV can be perfectly integrated into different living environments. Whether wall mounts, table or floor solutions - with our set-up options, everyone will find the perfectly individual solution.

Which set-up solution matches with which Loewe television can be taken from the data sheets. A glimpse of Loewe's beautiful set-up solutions can be found here:



Loewe floor stand universal

Loewe floor stand flex







Loewe floor2ceiling stand

Loewe floor stand motor stellar







Loewe wall mount slim 432

Loewe wall mount slim 221

Loewe wall mount universal



### Audio enjoyment. Engineered in Germany.


The unforgettable 360° entertainment experience is complemented by Loewe audio products. Engineered in Germany, the audio products are developed, tested and continuously optimised for a natural sound sensation by in-house technical specialists. This is how the sound professionals from Loewe regularly fascinate experts and sound enthusiasts.

Whether it's voluminous soundbars, surround systems, high-end speakers, subwoofers, multiroom speakers, smart radios or Al-based headphones. Every single audio product is subject to a meticulous development process in which every aspect is put through its paces. Whether it's the aesthetic fabric cover developed especially for speakers, unique Al technologies, or designs that save up to 50 percent space, every Loewe audio product is a master of its craft.

#### For your home cinema.

Create your own personal home cinema with Loewe TV and audio products: combine your favourite soundbar, multi-room speaker and subwoofer with your TV and create a sound stage in your home that is second to none. Enjoy immersive 360-degree sound as if you were in the middle of the action - or listen to your favourite music across multiple rooms with our convenient Multiroom solutions.

_oewe <b>leo</b>	28
_oewe inicio	32
_oewe <b>klang mr</b>	34
oewe klang bar5 mr & klang sub5	36
_oewe <b>klang bar3 mr</b>	38
_oewe <b>klang sub1</b>	40
_oewe <b>multi.room amp</b>	42
_oewe <b>klang s</b>	44
_oewe radio.frequency	46
We. <b>BOOST</b>	48
We. <b>HEAR pro</b>	50





### Innovative AI headphones for a new dimension of listening.

Loewe leo fuses cutting-edge Al innovation with timeless craftsmanship. From language-based translation to an intelligent, intuitive personal assistant, it redefines the headphones usability and interactiveness. Crafted with precision and purpose, Loewe leo delivers deep, resonant bass, breathtaking clarity, and a fully immersive soundscape that envelops you. This is more than a listening device – it's a smart, seamless companion that moves with you, understands you, and evolves with your world.

### Immersive sound experience with Adaptive Noise Cancellation.

Immerse yourself in every moment with advanced Adaptive Noise Cancellation that continuously adapts to your surroundings – whether you're on the move, at work, or simply seeking quiet focus. Intelligent speech detection automatically balances noise cancelling and transparency, so you never miss what matters. With intuitive dual control wheels and dedicated action buttons, managing your sound and ambience settings is effortless. Every interaction is smooth, precise, and right at your fingertips, keeping you in control without ever breaking your rhythm.



### An immersive sound experience for a multidimensional listenig experience.

Loewe leo delivers powerful, true-to-source sound through high-performance 50 mm drivers and the Texas Instrument OPA1622 SoundPlus™ amplifier, creating crystal-clear highs, deep bass, and an immersive soundstage. Supporting the latest LC3plus codec, it offers Hi-Res Audio both wired and wireless, along with Dolby Atmos and Spatial Audio for a multidimensional listening experience. With Mimi Sound Personalisation, playback adapts to your unique hearing profile, while Bluetooth LE Audio ensures stable, efficient streaming for up to 10 meters away.

### Integrated Leo Assistant and language-based translation.

Loewe leo seamlessly brings state-of-the-art Al functions into your everyday life. With the integrated, language-based assistant, you can chat, create notes or get answers – all hands-free, simply by saying 'Hey Leo'. And when travelling, the language-based translation in several languages supports you – perfect for on the go, international meetings or everyday conversations. The intelligent support is always ready when you need it and can be activated via voice command.

The Loewe leo app unlocks the full potential of your headphones. Personalise your sound with EQ, Mimi Sound and Spatial Audio, while features such as shortcuts and Ambience Mode give you full control over sound and ANC.



### Bluetooth with BLE and multi device.

With Bluetooth Low Energy (BLE) Audio, Loewe leo offers fast pairing, lower power consumption, and stable, high-quality streaming. Multi-device support lets you switch seamlessly between your phone, tablet, or laptop for an uninterrupted listening experience with up to 65 hours of playtime.

#### Built to last. Elegant modular design.

Loewe leo pairs refined craftsmanship with effortless connectivity. From anodised aluminium to genuine leather, every material is carefully chosen to deliver lasting comfort and durability. Its modular design with magnetic cushions allows for easy personalisation, while the included hardcase and leather pouch ensure your headphones are protected, wherever you go.





 $_{30}$  -

#### Loewe inicio

# For a multidimensional listenig experience.

Timeless desig meets craftsmanship. Precision in every detail.

Vibrant, dynamic sound with breathtaking precision.

Versatile connection options offer dynamic flexibility.

High-end passive speakers with an elegant design.





### High-end performance. Sound in its purest form.

Timeless design meets outstanding sound – at the highest audiophile level. The Loewe inicio passive speakers blend seamlessly The Loewe inicio passive speakers blend seamlessly into sophisticated interiors and impress with their outstanding acoustic performance and exceptional adaptability. Designed for both private listening rooms and professional applications, Loewe inicio sets new standards for discerning audiophiles and lovers of exceptional design. Pure sound unfolds with Purifi USHINDI speaker drivers, which are equipped with Ultra Low Distortion Technology to eliminate distortion and deliver unparalleled clarity. PURIFI NeutralSurround ensures consistent reproduction, while the Permanent-Core design creates an interference-free background so that every sound detail comes into its own.



-3

#### Loewe klang mr

# Pure wireless audio enjoyment in all rooms.

Unlimited music enjoyment. HD sound & access to streaming services.

Save and play your favorites with a simple tap on the glass touch panel.

Simple voice control. With Smart Home.

Wireless multichannel connectivity. WDAL 2.0.

Room-filling sound experience due to integrated subwoofer. (klang mr3 / klang mr5 only)





### Multiple music streaming in any room. With DTS Play-Fi for easy music streaming.

Enjoy the total audio experience – anytime, in any room and always with breathtaking sound. The Loewe klang mr1, klang mr3 and klang mr5 multiroom speakers stream in high resolution with 30, 150, and 180 watts of total music power. Musical pleasure wherever you want it.

Whether music, podcasts, audio books from streaming services, Internet radio or your own playlists, let yourself be inspired by wireless playback with one or more speakers connected via your network and Bluetooth and excellent sound quality. With your new multiroom system, you can experience outstanding sound ambience in every corner of your home thanks to the satisfyingly simple, harmonious interaction of several speakers. They are also the perfect complement for the Loewe klang bar5 mr. The high-quality design of the Loewe klang mr multiroom speakers is thereby made for a sophisticated living ambience.









#### Loewe klang bar5 mr & klang sub5

## Realistic surround sound of the third dimension.

Don't miss a word. Superior speech quality.

The pure joy of sound.
Vibration-free subwoofer.

Versatile. Streaming & multiroom setup. Expandable without limits. HDMI & Auto Remote Control Sync.

Stylish living ambience. Elegant and compact design.

Perfect to combine. Ideal with Loewe klang mr.





### Authentic 3D audio experience. Dolby Atmos.

The ultimate multiroom sound system for your home is guaranteed by the Loewe soundbar klang bar5 mr with 440 watt of total music power with the klang sub5 subwoofer with 360 watt of total music power and extension options of multiple wireless speakers. This true Loewe all-rounder offers premium cinema sound as well as versatile music streaming with just one device, while the compact, space-saving design blends seamlessly into any room.

### Powerful entertainment. Captivating sound.

The 5.1.2 Dolby Atmos and DTS:X technology delivers a fascinatingly realistic 3D sound experience just like in the cinema. Equipped with DTS Play-Fi, Google Chromecast and Apple AirPlay 2, the soundbar and vibration-free subwoofer can communicate with other devices without delay. This makes it easy to stream music from any source. Together with the elegant, timeless Loewe design, this set consisting of the Loewe klang bar5 mr and Loewe Subwoofer klang sub5 is an absolute must-have for music and film enthusiasts.







 $_{36}$  -

#### Loewe klang bar3 mr

### Powerful sound giant.

Upgrade to a 5.1 system. Wireless with three centre speakers.

Classic sound enjoyment. AVR connection function.

Echo-free 3D sound experience. Best WDAL 2.0 technology.

Audio enjoyment everywhere. Thanks to multi-room functionality.





#### Powerful. 3.1 System Engineered in Germany.

The all-rounder among the soundbars: The powerful 3.1 soundbar Loewe klang bar3 mr shines with an all-round package for almost every area of application. On its own, the device shines with 360 watts of total music power as well as an excellent 3D sound experience thanks to Dolby Atmos. Enjoy immersive, echo and delay-free 360-degree sound with first-class speech intelligibility and voluminous cinema sound, thanks to a forward-facing left, right and centre speaker supported by two integrated subwoofers. German engineering enables the klang bar3 mr to connect

additional front and rear speakers via wireless and latency-free WDAL 2.0 technology (Loewe Wireless Digital Audiolink 2.0). Adding front speakers, the klang bar3 mr then switches the left and right speakers to centre speakers, enabling even better speech intelligibility. Thanks to the AVR connections there is no need for an additional, expensive adapter if older Loewe and thirdbrand active speakers or active amplifiers, which require a cable connection, shall be integrated into the sound system. Do you prefer audio enjoyment in all your rooms? That is no problem with the Loewe klang bar3 mr either. Thanks to the Multiroom function the device couples wirelessly with the Loewe klang mr across different rooms.



 $^{8}$  –



#### Loewe klang sub1

# Compact powerhouse. The first subwoofer with wireless TV connection.

Maximum compatibility. For almost all TVs.

Wireless sound enjoyment. Latency-free Bluetooth pairing.

Instant audio enjoyment. Simplest plug-and-play.

Dynamic and powerful. Upgrade to a 2.1 system.

The Loewe klang sub1 is ready to use instantly with any Loewe TV from the SL3 series onwards thanks to its simple plugand-play installation, delivering the ultimate audio experience. Discover a 2.1 audio system with 160 watts of total music power, which provides full bass for greater sound dynamics. Unique is the latency-free Bluetooth connection, which allows the compact subwoofer to be paired with your TV.

The result: a perfectly coordinated sound experience for maximum listening pleasure – without any sound delay, annoying humming or cables between the TV and subwoofer. Small size, big performance: thanks to innovative audio technology inside, the Loewe klang sub1 is only half the size of devices with conventional subwoofer designs. This space-saving powerhouse is the ideal fit for smaller living rooms, especially as the subwoofer is vibration-free. By the way: if you have a TV from another brand with a regulated audio output, you can easily connect the Loewe klang sub1 to it.





#### Loewe multi.room amp

# The new world of connectivity. Expand your sound system.

Multiple use cases.

For music enthusiast and professionals.

Powerful sound.

With up to 1.200 watts.

Award-winning design. With clear distinction.

Compact size. Fitting everywhere.

Expandable ecosystem.
With Loewe klang mr products.

Easy usability.

Including remote control.





### Powerful stereo amplifier for multi-room and home cinema installations.

The Loewe multi.room amp makes your existing speakers smarter. It empowers your passive and active Hi-Fi speakers with a total music power of 1,200 watt and 4 ohms. With the Loewe multi.room amp you can seamlessly connect your speakers through Apple AirPlay, Google Cast, DTS Play-Fi, Spotify Connect and Bluetooth to distribute your favorite audio content. Whether it's music, podcasts, or audiobooks, stream from your smartphone to your speakers throughout your entire home, regardless of your preferred

### Endless possibilities for a powerful sound experience.

streaming service. Furthermore, you can connect beloved digital or analog music sources, such as a CD player or turntable, using the analog cinch inputs to expand your smart audio system.

When you connect the Loewe multi.room amp to your TV, you'll unlock the ultimate home cinema experience. You can effortlessly pair any speaker with your Loewe home.cinema system, wirelessly and with no latency. It's your versatile, all-in-one smart amplifier.







-

#### Loewe **klang s**

# Unique sound experience for most diverse audio demands.

Full digital music variety thanks to Internet streaming.

Sensual listening experience. DAB+ and powerful sound. Comfortable operation from anywhere. With 3.2" display or app.

Even more music enjoyment. Integrated CD drive. (klang s3 only)





Whether listening to international and local radio stations, streaming music services, or playing playlists— the compact Loewe klang s1 and klang s3 Internet radios with hi-fi receiver and DAB/DAB+ tuner impress with high-quality Wi-Fi and Bluetooth speakers and the latest state-of-the-art technology for a distinctive, thrilling sound experience. The extraordinary design of this luxurious sound classic blends seamlessly into an upscale living environment and, thanks to 80 watts (Loewe klang s1) or 120 watts (Loewe klang s3) of total music power, will delight even the most discerning music lovers.







-

#### Loewe radio.frequency

# Sound miracle. Unique natural oak.

Unique radio design with natural oak inlays.

Independent audio enjoyment with full 28 watts sound.

Easiest operation anywhere. With up to 14 hours playtime.

Easy to operate with 2,6" LCD display.

Convenient alarm and snooze function.





### Portable DAB+ radio with 28 watts total music power.

The Loewe radio.frequency offers the latest high-end technology and the simplest operation in the smallest space. The DAB + radio offers a timeless design language with its selected materials such as the specially developed acoustic fabric in the Loewe system colour basalt grey. With inlays made of real Canadian oak, the natural structure of the wood creates a unique design. Enjoy a crystal-clear, full sound experience with 28 watts of total music power. With the integrated alarm and snooze function, the radio is a convenient alarm clock on the bedside table.



46 —

#### We. BOOST

## Immerse yourself in true cinematic sound.

Immersive, cinema-quality 3D surround sound.

Wireless plug-and-play installation.

Set of four active satellite speakers and subwoofer.

Seamless connectivity with smart BLE remote control.





### Powerful home theater surround sound system.

Experience cinema-quality sound right in your living room with the We. BOOST Dolby Atmos home theater system. We. BOOST sets new standards for powerful home theatre surround sound systems with its hassle-free 4.1.2 setup. It ensures the ultimate cinematic sound experience for all your entertainment needs, whether streaming from your favourite platforms, gaming, or enjoying TV, movies and enhanced options beyond. Feel every beat and sound with We. BOOST's 720 watts of total music power. This powerhouse of a home theater system delivers deep, rich bass and crystal-clear highs, creating an audio experience that makes you feel like you're part of the action. Setting up We. BOOST is as easy as it gets with its

plug-and-play installation. Each speaker is clearly labelled, ensuring you know exactly where to place each unit for optimal sound performance. No need to worry about complicated setups or professional installation—simply follow the intuitive labels, plug the speakers into their designated positions, and enjoy instant cinematic sound. It's the perfect solution for anyone who wants high-quality audio without the hassle.





-49

#### We. **HEAR** pro

### Sync with Kylian Mbappé.

Outdoor Bluetooth Speaker





We. HEAR pro – your speaker for experiencing every moment and every soundtrack with an intensity that only Loewe and Kylian Mbappé can deliver. Imagine immersing yourself in your playlists and feeling every beat and every note as if you were at a live concert. With 100 watts of pure music power and a battery life of up to 24 hours, you always have the perfect companion for your personal audio moments. Its robust stereo sound, covering a frequency range from 50 Hz to 20,000 Hz at a sound pressure level of 88 dB, ensures a profound listening experience. The design of the speaker, with a series of drivers and passive bass radiators as well as a Class

D amplifier, ensures a sound that is as powerful as it is authentic. The We. HEAR pro features a powerful lithium-ion battery that provides up to 24 hours of playback time. Thanks to fast charging technology, this speaker can be charged in just 2 hours using compatible USB-C PD adapters. Designed for environmentally conscious efficiency, Designed for eco-conscious efficiency, the speaker supports the use of any USB-C power source for charging and also serves as a long-lasting power bank for your devices on the go.



#### BUILD FOR THE OUTDOORS

Its IPX6 certification guarantees splash protection, making it the ideal outdoor companion.



### TRUE WIRELESS MULTI-PAIRING.

Loewe's True Wireless Multi-Pairing functionality enables simultaneous synchronization of up to 14 speakers.



### ACOUSTIC PERFECTION: SOUND WITHOUT LIMITS

With the intuitive sliders on the speaker, you can precisely adjust the volume, treble, and bass. No app required.





### The perfect Duo. Professional All-in-One solution.

The Loewe aura.pure offers convenience and espresso enjoyment - perfect for all home baristas. The luxurious design of the espresso machine with integrated coffee grinder and elegant real wood accents embodies a passion for pure coffee enjoyment and offers the simplest preparation of premium coffee in an elegant package.

Equipped with three thermal blocks, the Loewe aura.pure ensures a fast heat-up phase of up to 2 minutes. Pure espresso enjoyment without long waiting times. The three thermal blocks heat the coffee machine, the brewing head and the steam system efficiently and ensure even performance and temperature control.

### Powerful thermal technology. Without long heat-up phase.

The integrated stainless steel conical burr grinder enables precision grinding for optimum extraction. This ensures excellent flavour and fresh aroma are guaranteed for coffee enjoyment according to your individual flavour flavour preferences. Elegant and practical accessories make coffee preparation a unique art. The accessories with real wood accents such as the portafilter and the tamper are ideally matched to the elegant design of the espresso machine, as well as the milk jug in basalt grey for the preparation of unique latte art. Thanks to numerous functions, you can create a variety of coffee creations and experience that pure barista feeling in your home.

Technical data	83 dr+	77 dr+
	alu brushed + alu	alu brushed + alu
Loewe stellar (ti)	alu black + black	alu black + black
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	210 / 83 / 1	195 / 77 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.500 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	•/•/•	•/•/•
UHD scaling / Auto dimming / Al PQ / Adaptive contrast / 24p HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG		•/•/•/•  •/•/• (Adaptive)/—/•
Reception	C/ C/ C (Naapave)/	TO TO (Magnivey)
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/•	•/•/•/•
DVB radio / DiSEqC / Unicable / dual channel	•/•/•/•	•/•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/ (incl. H.266)	•/•/•/• (incl. H.266)
Zattoo app / HD+ app	•/-	•/-
Audio		
Power (watts sine / music) / driver (active + passive)	2x 75 / 2x 150 / 6	2x 75 / 2x 150 / 6
Acoustic speaker concept	active bar + bass reflex	active bar + bass reflex
Front firing / down firing / 2-channel crossover  Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	_	•/-/• •/•/•/-
Class-D amp / Auto volume / Al AQ / EQ / Dynamic loudness		
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / ●
my Loewe app / smart apps (all: Android + iOS)	SEST TIZERTOST ZTT      SmartThings app	• / SmartThings app
Voice control: Alexa Skills / other	— / Bixby voice	— / Bixby voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000
Loewe dr+: capacity	1 TB SSD	1 TB SSD
DVB PIP / Multi View / Multi Recording / Timeshift	•/•/•	•/•/•
Mediatext (HbbTV) / Teletext / splitscreen  Media player / dlna player / browser		<u> </u>
Samsung TV Plus / VOD premium services		•/•
Parental Lock / Automatic turn-off / Timer		•/•/•
Software update (via USB / Internet) / Hotel mode	•/•/—	•/•/—
Connectivity and interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1
HDMI	4 x HDMI 2.1	4 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (144 Hz)	• / • / • (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•
USB-A: number x power USB-C: number x power	= 1 x 1,0 A, 1 x 2,0 A 2 x 1,0A	1 x 1,0 A, 1 x 2,0 A 2 x 1,0 A
Bluetooth / Wake on BT / Miracast / AirPlay	- 2x1,0A •/•/•/-	2 X 1,0A • / • / • / −
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	- 0,0,0,	•/•/•/•
TOSLINK / center in (Cinch L/R)	• / • (Cinch L/R)	●/●(Cinch L/R)
Audio out control: fix / variable / sub (3.5 mm)	<u>-/•/•</u>	<u>-/•/•</u>
Loewe magic.light / magic.motion	• / • (via USB-A 2,0A)	• / • (via USB-A 2,0A)
Home automation / Control4 / Crestron	• (via SmartThings) / — / —	• (via SmartThings) / — / —
Power socket	C17 (D type)	C17 (D type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F/G	F/G
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca.kWh/1000h)	2185767	2185763
Power consumption max. @ audio 1/8 volume (watts)	<u>126 / 153</u> <del>700</del>	121 / 144 650
Power consumption standby / network standby (watts)	- 700	0,4 / 0,7
Mains voltages / power switch / off mode (watts)	220-240V, 50 / 60 Hz / • / 0,0	220-240V, 50 / 60 Hz / • / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	51,3 / 52,5	48,3 / 49,5
W* x H x D (cm) without setup solution	187,5 x 116,5 x 7,0	173,9 x 108,9 x 7,0
W* x H x D (cm) incl. table stand	187,5 x 122,7 x 41,0	173,9 x 115,2 x 41,0
VESA support / Kensington lock	400 x 200 / —	400 x 200 / —
Scope of delivery		
Speaker Setup Solution (rotate abla	integrated (active soundbar)	integrated (active soundbar)
Setup Solution / rotate-able Remote control (incl. batteries)	integrated wall mount / fix Loewe remote stellar & mini (4x AAA)	integrated wall mount / fix Loewe remote stellar & mini (4x AAA)
Manual / power cord		
Others	welcome box	welcome box
Optional accessories		
Selection of recommended setup solutions	floor stand motor stellar 77-83	floor stand motor stellar 77-83
and audio systems	table stand motor stellar 77-83	table stand motor stellar 77-83
	multi.room amp	multi.room amp
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·

• = available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Toohnical data	65 dr+	65 dr+	55 dr+	55 dr+
Technical data	alu brushed + concrete	alu brushed + alu	alu brushed + concrete	alu brushed + alu
Loewe stellar (ti)	alu black + lava		alu black + lava	
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164/65/1	164/65/1	139/55/1	139/55/1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°	1.500 / 120°	1.500 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	•/•/•	•/•/•	•/•/•	•/•/•
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •
Reception				
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
DVB radio / DiSEqC / Unicable / dual channel	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/• (incl. H.266)	•/•/• (incl. H.266)	●/●/●/● (incl. H.266)	•/•/•/• (incl. H.266)
Zattoo app / HD+ app	•/-	•/-	•/-	•/—
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	•//•	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/-	•/•/•/—	•/•/•/—	•/•/•/-
Class-D amp / Auto volume / Al AQ / EQ / Dynamic loudness	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / •
my Loewe app / smart apps (all: Android + iOS)	<ul><li>/ SmartThings app</li></ul>	<ul><li>/ SmartThings app</li></ul>	<ul><li>/ SmartThings app</li></ul>	• / SmartThings app
Voice control: Alexa Skills / other	<ul><li>– / Bixby voice</li></ul>	— / Bixby voice	— / Bixby voice	— / Bixby voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000	• / 10.000
Loewe dr+: capacity	1 TB SSD	0,5 TB SSD	1TB SSD	0,5 TB SSD
DVB PIP / Multi View / Multi Recording / Timeshift	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Mediatext (HbbTV) / Teletext / splitscreen	•/•/•	•/•/•	•/•/•	•/•/•
Media player / dlna player / browser	•/•/•	•/•/•	•/•/•	•/•/•
Samsung TV Plus / VOD premium services Parental Lock / Automatic turn-off / Timer	•/•			
Software update (via USB / Internet) / Hotel mode	•/•/-	•/•/• •/•/—	•/•/•	•/•/• •/•/—
	6/6/=	•/•/=	<b>6</b> / <b>6</b> / =	0/0/=
Connectivity and interfaces				4.40.44
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1	1/2/1	1/2/1
HDMI	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC	• / • / • (144 Hz) • / • / • / •	•/•/•(144 Hz) •/•/•/•	•/•/•(144 Hz) •/•/•/•	•/•/•(144 Hz) •/•/•/•
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1.0 A	2 x 1.0A	2 x 1.0 A	2 x 1.0 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/—	•/•/•/—	•/•/•/—	•/•/•/—
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
TOSLINK / center in (Cinch L/R)	• / • (Cinch L/R)	• / • (Cinch L/R)	• / • (Cinch L/R)	• / • (Cinch L/R)
Audio out control: fix / variable / sub (3.5 mm)	-/•/•	<u>-/•/•</u>	-/•/•	-/•/•
Loewe magic.light / magic.motion	• / • (via USB-A 2.0A)	• / • (via USB-A 2,0A)	• / • (via USB-A 2,0A)	• / • (via USB-A 2,0A)
Home automation / Control4 / Crestron	• (via SmartThings) / — / —		• (via SmartThings) / — / —	• (via SmartThings) / — / —
Power socket	C17 (D type)	C17 (D type)	C7 (Euro type)	C7 (Euro type)
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	E/F	E/F	E/F	E/F
EPREL registration No.: https://eprel.ec.europa.eu	1977964	1977964	1977960	1977960
Energy consumption SDR / HDR (ca. kWh/1000h)	77 / 92	77 / 92	63 / 76	63 / 76
Power consumption max. @ audio 1/8 volume (watts)	400	400	300	300
Power consumption standby / network standby (watts)	0,4 / 0,7	0,4 / 0,7	0,4 / 0,7	0,4 / 0,7
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / • / 0,0	220-240 V, 50/60 Hz / • / 0,0	220-240 V, 50/60 Hz / • / 0,0	220-240 V, 50/60 Hz / • / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)	· ·	· ·	· · · · · · · · · · · · · · · · · · ·	<u> </u>
Weight (ca. kg) excl. / incl. standard setup solution	21,5 / 23,7	21,5 / 23,7	17,6 / 19,8	17,6 / 19,8
W* x H x D (cm) without setup solution	146,8 x 88,8 x 4,7	146,8 x 88,8 x 4,7	124,9 x 76,5 x 4,7	124,9 x 76,5 x 4,7
W* x H x D (cm) incl. table stand	146,8 x 94,0 x 27,5	146,8 x 94,0 x 27,5	124,9 x 81,7 x 27,5	124,9 x 81,7 x 27,5
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of delivery				
Speaker	integrated	integrated	integrated	integrated
Setup Solution / rotate-able	table stand / •	table stand / •	table stand / •	table stand / •
Remote control (incl. batteries)	Loewe remote stellar & mini (4x	Loewe remote stellar & mini (4x	Loewe remote stellar & mini (4x	Loewe remote stellar & mini (4x
Manual / power cord	AAA)	AAA)	AAA)	AAA)
Others	●/● (2,5 m, black)	●/● (2,5 m, black)	●/● (2,5 m, black)	●/● (2,5 m, black)
	welcome box	welcome box	welcome box	welcome box
Optional accessories				
Selection of recommended setup solutions	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
and audio systems	floor stand motor stellar	floor stand motor stellar	floor stand motor stellar	floor stand motor stellar
-9				

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks<sup>TM</sup> or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

floor stand flex

floor stand universal

wall mount slim 432

wall mount stellar multi.room amp floor stand flex

floor stand universal

wall mount slim 432

wall mount stellar multi.room amp floor stand flex

floor stand universal

wall mount slim 432

floor stand flex

floor stand universal

wall mount slim 432

wall mount stellar multi.room amp

features and content availability.

Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

54 — 55

<sup>• =</sup> available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical data	48 dr+	48 dr+	42 dr+	42 dr+
	alu brushed + concrete	alu brushed + alu	alu brushed + concrete	alu brushed + alu
Loewe stellar (ti)	alu black + lava		alu black + lava	
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	121 / 48 / 1	121 / 48 / 1	106 / 42 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)  Ex-works individual panel calibration / white D65 / colour RGB	800 / 120° • / • / •	800 / 120° • / • / •	800 / 120° • / • / •	800 / 120° • / • / •
UHD scaling / Auto dimming / Al PQ / Adaptive contrast / 24p		- <del>• / • / •</del>		
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	•/•/• (Adaptive)/—/•	• / • / • (Adaptive) / — / •	•/•/• (Adaptive)/—/•	
Reception				
DVB-T2 / C / S2 / HD / twin triple-tuner	• • • •	• • • • •	• • • • •	• • • • •
DVB radio / DiSEqC / Unicable / dual channel	• / • / • / • • / • / • (incl. H.266)	- •/•/•/ •/•/• (incl. H.266)	(•/•/• (incl. H.266)	- • / • / • / • (incl. H.266)
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/-	•/-	•/-	•/-
Zattoo app / HD+ app				
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	$\frac{2 \times 20 / 2 \times 40 / 10 (6 + 4)}{2 \times 20 / 2 \times 40 / 10 (6 + 4)}$	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept Front firing / down firing / 2-channel crossover	$\frac{\text{closed bar} + \text{p. membranes}}{\bullet / - / \bullet}$	closed bar + p. membranes • / — / •	closed bar + p. membranes	closed bar + p. membranes • / — / •
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/-			- <del></del>
Class-D amp / Auto volume / Al AQ / EQ / Dynamic loudness	• • • •	• • • •	• • • •	• • • •
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / •
my Loewe app / smart apps (all: Android + iOS)	• / SmartThings app	• / SmartThings app	• / SmartThings app	• / SmartThings app
Voice control: Alexa Skills / other	— / Bixby voice	— / Bixby voice	— / Bixby voice	— / Bixby voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000	• / 10.000
Loewe dr+: capacity  DVB PIP / Multi View / Multi Recording / Timeshift	1 TB SSD •/•/•/•	0,5 TB SSD •/•/•/•	1 TB SSD	0,5 TB SSD •/•/•/•
Mediatext (HbbTV) / Teletext / splitscreen	- <del>•/•/•</del>	- <del>•/•/•</del>		
Media player / dlna player / browser	•/•/•	•/•/•		•/•/•
Samsung TV Plus / VOD premium services	•/•	•/•	•/•	•/•
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel mode	●/●/—	•/•/—	•/•/—	•/•/—
Connectivity and interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	- 1/2/1 4 x HDMI 2.1		$-\frac{1/2/1}{4 \times HDMI 2.1}$	
HDMI HDMI UHD / ALLM / VRR	4 X HDMI 2.1 • / • / • (144 Hz)	4 X HDMI 2.1 • / • / • (144 Hz)	4 X HDMI 2.1	4 X HDMI 2.1 • / • / • (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	• / • / • (144 112) • / • / • / •	- <del>0/0/0(144112)</del> •/•/•/•	- (144112)	<u> </u>
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0A	2 x 1,0A	2 x 1,0A	2 x 1,0A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/—	•/•/-	•/•/•/—	•/•/•/—
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	• / • / • / •	•/•/•/•	•/•/•/•	•/•/•/•
TOSLINK / center in (Cinch L/R) Audio out control: fix / variable / sub (3.5 mm)	-	- (Cinch L/R) - / • / •	• / • (Cinch L/R) — / • / •	- (Cinch L/R) - / • / •
Loewe magic.light / magic.motion	• / • (via USB-A 2,0A)	• / • (via USB-A 2,0A)	• / • (via USB-A 2,0A)	- / o (via USB-A 2,0A)
Home automation / Control4 / Crestron	• (via SmartThings) / — / –			
Power socket	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)
Energy				
	F/G	F/G	F/G	F/G
EU energy efficiency class: SDR (EEI) / HDR (EEI)	1 / G			1 7 0
EPREL registration No.: https://eprel.ec.europa.eu	1977957	1977957	1977954	1977954
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h)	1977957 52 / 63	52 / 63	47 / 54	1977954 47 / 54
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts)	1977957 52 / 63 200	52 / 63 200	47 / 54 170	1977954 47 / 54 170
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)	1977957 52 / 63 200 0.4 / 0.7	52 / 63 200 0,4 / 0,7	47 / 54 170 0,4 / 0,7	1977954 47 / 54 170 0,4 / 0,7
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)	1977957 52 / 63 200	52 / 63 200 0,4 / 0,7	47 / 54 170 0,4 / 0,7	1977954 47 / 54 170 0,4 / 0,7
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm)	1977957 52 / 63 200 0,4 / 0,7 220-240 V, 50/60 Hz / ◆ / 0,0	52 / 63 200 0.4 / 0.7 0.220-240 V, 50/60 Hz / ◆ / 0.0	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.9	1977954 47 / 54 170 0.4 / 0.7 0 220-240 V, 50/60 Hz / ◆ / 0,
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0	52 / 63 200 0.4 / 0.7 0.220-240 V, 50/60 Hz / ● / 0.0 13,9 / 15,8	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0, 12,0 / 13,9	1977954 47 / 54 170 0.4 / 0.7 0 220-240 V, 50/60 Hz / ◆ / 0. 12,0 / 13,9
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm)	1977957 52 / 63 200 0,4 / 0,7 220-240 V, 50/60 Hz / ◆ / 0,0	52 / 63 200 0.4 / 0.7 0.220-240 V, 50/60 Hz / ◆ / 0.0	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.9	1977954 47 / 54 170 0.4 / 0.7 0 220-240 V, 50/60 Hz / • / 0
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0 13.9 / 15.8 109.3 × 67.7 × 4.7	52 / 63 200 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.1 12.0 / 13.9 95.8 × 60.2 × 4.7	1977954 47 / 54 170 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0 12,0 / 13,9 95,8 × 60,2 × 4,7
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5	52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0. 12,0 / 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5	1977954 47 / 54 170 0,4 / 0,7 0 220-240 V, 50/60 Hz / ● / 0 12.0 / 13.9 95.8 x 60.2 x 4,7 95.8 x 65.4 x 19.5
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5	52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0. 12,0 / 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5	1977954 47 / 54 170 0,4 / 0,7 0 220-240 V, 50/60 Hz / ◆ / 0, 12.0 / 13.9 95.8 x 60.2 x 4,7 95.8 x 65.4 x 19.5
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock  Scope of delivery  Speaker Setup Solution / rotate-able	1977957 52 / 63 200 0,4 / 0,7 220-240 V, 50/60 Hz / ◆ / 0,0  13,9 / 15,8 109,3 x 67,7 x 4,7 109,3 x 72,9 x 19,5 300 x 200 / ◆  integrated table stand / ◆	52 / 63 200 0,4 / 0,7 0 220-240 V, 50/60 Hz / • / 0,0 13,9 / 15,8 109,3 x 67,7 x 4,7 109,3 x 72,9 x 19,5 300 x 200 / • integrated table stand / •	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0.0 12,0 / 13,9 95,8 x 60.2 x 4.7 95,8 x 65.4 x 19.5 300 x 200 / ● integrated table stand / ●	1977954 47 / 54 170 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0 12.0 / 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ● integrated table stand / ●
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0  13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x	52 / 63 200 0.4 / 0.7 0.20-240 V, 50/60 Hz / ● / 0.0 13,9 / 15,8 109,3 x 67,7 x 4,7 109,3 x 72,9 x 19,5 300 x 200 / ● integrated table stand / ● Loeweremote stellar & mini (4x	47 / 54 170 0.4 / 0,7 0.20-240 V, 50/60 Hz / ◆ / 0,0 12,0 / 13,9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ◆ integrated table stand / ◆ Loeweremote stellar & mini (4x	1977954 47 / 54 170 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0 12.0 / 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ● integrated table stand / ● Loewe remote stellar & mini (4x
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock  Scope of delivery  Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0  13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)	52 / 63 200 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ● integrated table stand / ● Loeweremote stellar & mini (4x AAA)	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0. 12.0 / 13.9 95.8 × 60.2 × 4.7 95.8 × 65.4 × 19.5 300 × 200 / ◆ integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)	1977954 47 / 54 170 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0 12,0 / 13,9 95,8 x 60,2 x 4,7 95,8 x 65,4 x 19,5 300 x 200 / ● integrated table stand / ● Loewe remote stellar & mini (4x AAA)
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0  13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)  ◆ / ◆ (2,5 m, black)	52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ● integrated table stand / ● Loeweremote stellar & mini (4x AAA) ● / ● (2.5 m, black)	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0. 12,0 / 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ● integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2.5 m, black)	1977954 47 / 54 170 0,4 / 0,7 0 220-240 V, 50/60 Hz / ● / 0 12,0 / 13,9 95,8 × 60,2 × 4,7 95,8 × 65,4 × 19,5 300 × 200 / ● integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2,5 m, black)
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock  Scope of delivery  Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0  13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)	52 / 63 200 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ● integrated table stand / ● Loeweremote stellar & mini (4x AAA)	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0. 12.0 / 13.9 95.8 × 60.2 × 4.7 95.8 × 65.4 × 19.5 300 × 200 / ◆ integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)	1977954 47 / 54 170 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0 12,0 / 13,9 95,8 x 60,2 x 4,7 95,8 x 65,4 x 19,5 300 x 200 / ● integrated table stand / ● Loewe remote stellar & mini (4x AAA)
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock  Scope of delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0  13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)  ◆ / ◆ (2,5 m, black)	52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ● integrated table stand / ● Loeweremote stellar & mini (4x AAA) ● / ● (2.5 m, black)	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / ● / 0. 12,0 / 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ● integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2.5 m, black)	1977954 47 / 54 170 0,4 / 0,7 0 220-240 V, 50/60 Hz / ● / 0 12,0 / 13,9 95,8 × 60,2 × 4,7 95,8 × 65,4 × 19,5 300 × 200 / ● integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2,5 m, black)
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock  Scope of delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others  Optional accessories	1977957 52 / 63 200 0,4 / 0,7 220-240 V, 50/60 Hz / ◆ / 0,0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)	52 / 63 200 0.4 / 0.7 0.220-240 V, 50/60 Hz / ● / 0.0 13,9 / 15.8 109,3 x 67,7 x 4,7 109,3 x 72,9 x 19,5 300 x 200 / ●  integrated table stand / ● Loeweremote stellar & mini (4x AAA) ● / ● (2,5 m, black) welcome box  floor2ceiling stand floor stand motor stellar	47 / 54 170 0.4 / 0.7 220-240 V, 50/60 Hz / • / 0. 12,0 / 13,9 95.8 × 60.2 × 4.7 95.8 × 65.4 × 19.5 300 × 200 / • integrated table stand / • Loewe remote stellar & mini (4x AAA) • / • (2.5 m, black) welcome box	1977954 47 / 54 170 0.4 / 0.7 0.4 / 0.7 12.0 - 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ◆ integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others  Optional accessories Selection of recommended setup solutions	1977957 52 / 63 200 0.4 / 0.7 220-240 V, 50/60 Hz / ◆ / 0.0  13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ◆  integrated table stand / ◆ Loeweremote stellar & mini (4x AAA)	52 / 63 200 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ●  integrated table stand / ● Loeweremote stellar & mini (4x AAA) ● / ● (2,5 m, black) welcome box  floor2ceiling stand floor stand motor stellar floor stand flox	47 / 54 170 0.4 / 0.7 0.4 / 0.7 120-240 V, 50/60 Hz / ● / 0.9 12.0 / 13.9 95.8 × 60.2 × 4.7 95.8 × 65.4 × 19.5 300 × 200 / ●  integrated table stand / ● Loewe remote stellar & mini (4x AAA) ■ / ● (2.5 m, black) welcome box  floor 2ceilling stand floor stand motor stellar floor stand flex	1977954 47 / 54 170 0.4 / 0.7 0 220-240 V, 50/60 Hz / ● / 0  12,0 / 13,9 95.8 x 60,2 x 4,7 95.8 x 65.4 x 19,5 300 x 200 / ●  integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2,5 m, black) welcome box  floor 2ceiling stand floor stand motor stellar floor stand flex
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others  Optional accessories Selection of recommended setup solutions	1977957 52 / 63 200 0,4 / 0,7 220-240 V, 50/60 Hz / ◆ / 0,0 13.9 / 15.8 109,3 × 67,7 × 4,7 109,3 × 72,9 × 19.5 300 × 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)	52 / 63 200 0.4 / 0.7 0.220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ●  integrated table stand / ● Loeweremote stellar & mini (4x AAA) ● / ● (2,5 m, black) welcome box  floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal	47 / 54 170 0.4 / 0.7 0.20-240 V, 50/60 Hz / ● / 0.9 12.0 / 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ●  integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2.5 m, black) welcome box  floor 2 ceilling stand floor stand motor stellar floor stand flex floor stand universal	1977954 47 / 54 170 0.4 / 0.7 0.4 / 0.7 120-240 V, 50/60 Hz / ● / 0  12,0 / 13,9 95.8 x 60,2 x 4.7 95.8 x 65.4 x 19,5 300 x 200 / ●  integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2.5 m, black) welcome box  floor 2ceiling stand floor stand flex floor stand universal
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others  Optional accessories Selection of recommended setup solutions	1977957 52 / 63 200 0,4 / 0,7 220-240 V, 50/60 Hz / ◆ / 0,0 13,9 / 15,8 109,3 x 67,7 x 4,7 109,3 x 72,9 x 19,5 300 x 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)	52 / 63 200 0.4 / 0.7 0.20-240 V, 50/60 Hz / ● / 0.0  13,9 / 15,8 109.3 x 67,7 x 4,7 109.3 x 72.9 x 19.5 300 x 200 / ●  integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2,5 m, black) welcome box  floor stand motor stellar floor stand flex floor stand flex floor stand universal wall mount universal	47 / 54 170 0.4 / 0.7 0.4 / 0.7 120-240 V, 50/60 Hz / ◆ / 0.9 12,0 / 13,9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)	1977954 47 / 54 170 0.4 / 0.7 0.20-240 V, 50/60 Hz / ● / 0  12.0 / 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ●  integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2.5 m, black) welcome box  floor 2ceiling stand floor stand universal wall mount universal
EPREL registration No.: https://eprel.ec.europa.eu Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts) Mains voltages / power switch / off mode (watts)  Dimensions (* incl. signature flag: ca. 1 cm) Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock Scope of delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others  Optional accessories Selection of recommended setup solutions	1977957 52 / 63 200 0,4 / 0,7 220-240 V, 50/60 Hz / ◆ / 0,0 13.9 / 15.8 109,3 × 67,7 × 4,7 109,3 × 72,9 × 19.5 300 × 200 / ◆  integrated table stand / ◆ Loewe remote stellar & mini (4x AAA)	52 / 63 200 0.4 / 0.7 0.220-240 V, 50/60 Hz / ● / 0.0 13.9 / 15.8 109.3 x 67.7 x 4.7 109.3 x 72.9 x 19.5 300 x 200 / ●  integrated table stand / ● Loeweremote stellar & mini (4x AAA) ● / ● (2,5 m, black) welcome box  floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal	47 / 54 170 0.4 / 0.7 0.20-240 V, 50/60 Hz / ● / 0.9 12.0 / 13.9 95.8 x 60.2 x 4.7 95.8 x 65.4 x 19.5 300 x 200 / ●  integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2.5 m, black) welcome box  floor 2 ceilling stand floor stand motor stellar floor stand flex floor stand universal	1977954 47 / 54 170 0.4 / 0.7 0.4 / 0.7 120-240 V, 50/60 Hz / ● / 0  12,0 / 13,9 95.8 x 60,2 x 4.7 95.8 x 65.4 x 19,5 300 x 200 / ●  integrated table stand / ● Loewe remote stellar & mini (4x AAA) ● / ● (2.5 m, black) welcome box  floor 2ceiling stand floor stand flex floor stand universal

• = available, o = optional, - = not availabl
---

<sup>\*</sup> according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks<sup>™</sup> or registered<sup>®</sup> trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical data	97 dr+	83 dr+	77 dr+
	alu brushed + alu	alu brushed + alu	alu brushed + alu
Loewe stellar (vi)		alu black + black	alu black + black
mage			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	245/97/1	210 / 83 / 1	195 / 77 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	1.500 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	•/•/•	•/•/•	•/•/•
UHD scaling / Auto dimming / Al PQ / Adaptive contrast / 24p	•/•/•/•	•/•/•	•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	●/●/●/● (INCL. IQ PD)/●	•/•/• (INCL. IQ PD)/•	•/•/•/• (INCL. IQ PD)/•
Reception			
DVB-T2 / C / S2 / HD / twin triple-tuner	• • • •	• • • • •	• • • • •
DVB radio / DiSEqC / Unicable / dual channel	- •/•/•	•/•/•	•/•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	- (incl. H.266)	●/●/●/ (incl. H.266)	●/●/●/ (incl. H.266)
Zattoo / HD+	- <u>•</u> /•		<u>•/•</u>
Audio			
Power (watts sine / music) / driver (active + passive)	2x 75 / 2x 150 / 6	2x 75 / 2x 150 / 6	2x 75 / 2x 150 / 6
Acoustic speaker concept	active bar + bass reflex	active bar + bass reflex	active bar + bass reflex
Front firing / down firing / 2-channel crossover	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	• • • •	• • • •	• • • •
Class-D amp / Auto volume / Al AQ / EQ / Dynamic loudness	• • • •	• • • •	• • • •
Operation and apps			
Chassis / os / languages (menu, help) / app store	SL8/os9/34/•	SL8/os9/34/•	SL8/os9/34/●
my Loewe app / smart apps (all: Android + iOS)	VIDAA Smart TV app	• / VIDAA Smart TV app	• / VIDAA Smart TV app
Voice control: Alexa Skills / other	VIDAA Smart i V app      VIDAA voice	• / VIDAA Siliait I V app	VIDAA Siliait I V app  / VIDAA voice
EPG / Number of stations in channel list	•/10.000	• / 10.000	•/10.000
Loewe dr+: capacity	1 TB SSD	1TB SSD	1TB SSD
Multi Recording / USB recording / timeshift	•/0/•	●/0/●	•/0/•
Mediatext (HbbTV) / Teletext / splitscreen	•/•/•	•/•/•	•/•/•
Media player / dlna player / browser	•/•/•	•/•/•	•/•/•
TV Channel+ / VOD premium services / Al comfort features	•/•/•	•/•/•	•/•/•
Parental lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel mode	•/•/•	•/•/•	•/•/•
Connectivity and interfaces			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1	1/2/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMl 2.0b, 2 x HDMl 2.1
HDMI UHD / ALLM / VRR	• / • / • (144 Hz)	•/•/•(144 Hz)	●/●/●(144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•	•/•/•/
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0A	2 x 1,0A	2 x 1,0A
Bluetooth / Miracast / AirPlay / Matter	•/•/•/	•/•/•/•	•/•/•
LAN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	•/•/•/•	•/•/•/•	•/•/•
TOSLINK / center in (Cinch L/R)	_ •/•	•/•	•/•
Audio out control: fix / variable / sub (3.5 mm) Loewe magic.light / magic.motion	• / • / • • / • (via USB-A 2,0A)		•/•/• •/• (via USB-A 2,0A)
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •
Power socket	C17 (D type)	C17 (D type)	C17 (D type)
	017 (2 type)	017 (B type)	017 ( <i>b</i> type)
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G / F	G / G	G/G
EPREL registration No.: https://eprel.ec.europa.eu	2383987	2384041	2384030
Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h)	220-240V, 50 / 60 Hz / • / 0,0 190 / 170	220-240 V, 50/60 Hz / • / 0,0 160 / 190	220-240 V, 50/60 Hz / ◆ / 0,0 143 / 150
Power consumption max. @ audio 1/8 volume (watts)	= 1907 170 850	700	650
Power consumption standby / network standby (watts)	0.5 / 0.6	0,5 / 0,7	0.5 / 0.7
Dimensions (* incl. signature flag: ca. 1 cm)		5,57 5,7	
	CC F / CO 1	E0.0 / E0.E	47.9 / 40.F
Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution		50,8 / 52,5 187,5 x 116,5 x 7,0	47,8 / 49,5 173,3 x 108,9 x 7,0
W* x H x D (cm) without setup solution  W* x H x D (cm) incl. table stand		187,5 x 116,5 x 7,0 187,5 x 122,7 x 41,0	173,3 x 108,9 x 7,0 173,9 x 115,2 x 41,0
VESA support / Kensington lock		187,5 x 122,7 x 41,0 400 x 200 / —	1/3,9 x 115,2 x 41,0 400 x 200 / —
	.30 / 200 /	-00 / 200 /	-100 X 200 /
Scope of delivery			
Speaker	integrated (active soundbar)	integrated (active soundbar)	integrated (active soundbar)
Setup Solution / rotate-able	integrated wall mount / fix	integrated wall mount / fix	integrated wall mount / fix
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	• / • (2,5 m, black)	• / • (2,5 m, black)
Others	welcome box	welcome box	welcome box
Optional accessories			
Selection of recommended setup solutions	wall mount slim 432	floor stand motor stellar 77-83	floor stand motor stellar 77-83
and audio systems	multi.room amp	table stand motor stellar 77-83	table stand motor stellar 77-83
and addio systems			
and dadie systems		wall mount slim 432 multi.room amp	wall mount slim 432 multi.room amp

<sup>• =</sup> available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks<sup>™</sup> or registered<sup>®</sup> trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

56 <del>-</del> **—** 57

Technical data	65 dr+ alu brushed + concrete	65 dr+ alu brushed + alu	55 dr+ alu brushed + concrete	55 dr+ alu brushed + alu
Loewe stellar (vi)	alu black + lava		alu black + lava	
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology Screen diagonal (cm / inch) / Response time (ms)	OLED (WRGB) 164 / 65 / 1	OLED (WRGB) 164 / 65 / 1	OLED (WRGB) 139 / 55 / 1	OLED (WRGB) 139 / 55 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°	1.500 / 120°	1.500 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	•/•/•	•/•/•	•/•/•	•/•/•
UHD scaling / Auto dimming / Al PQ / Adaptive contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	●/ ●/ ●/ ● (INGL. IŲ PD) / ●	•/•/•/• (INCL. IQ PD)/•	●/ ●/ ●/ ● (INCL. IQ PD) / ●	●/ ●/ ●/ ● (INCL. IŲ PD) / ●
Reception  DVB-T2 / C / S2 / HD / twin triple-tuner		• • • • •	• • • • •	• • • •
DVB radio / DiSEqC / Unicable / dual channel	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)
Zattoo / HD+	•/•	•/•	•/•	•/•
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept Front firing / down firing / 2-channel crossover	closed bar + p. membranes • / — / •	$\frac{\text{closed bar} + \text{p. membranes}}{\bullet / - / \bullet}$	$\frac{\text{closed bar} + \text{p. membranes}}{\bullet / - / \bullet}$	closed bar + p. membranes • / — / •
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	• • • • •		• • • • • •	
Class-D amp / Auto volume / Al AQ / EQ / Dynamic loudness	• • • •	• • • • •	• • • • •	• • • •
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL8/os9/34/•	SL8/os9/34/•	SL8/os9/34/•	SL8/os9/34/•
my Loewe app / smart apps (all: Android + iOS)	• / VIDAA Smart TV app	/ VIDAA Smart TV app	/ VIDAA Smart TV app	/ VIDAA Smart TV app
Voice control: Alexa Skills / other  EPG / Number of stations in channel list	● / VIDAA voice ● / 10.000	● / VIDAA voice ● / 10.000	● / VIDAA voice ● / 10.000	● / VIDAA voice ● / 10.000
Loewe dr+: capacity	1 TB SSD	0.5 TB SSD	1TB SSD	0.5 TB SSD
Multi Recording / USB recording / timeshift	•/0/•	•/0/•	•/0/•	•/0/•
Mediatext (HbbTV) / Teletext / splitscreen	•/•/•	•/•/•	•/•/•	•/•/•
Media player / dlna player / browser  TV Channel+ / VOD premium services / Al comfort features	•/•/•	· / • / • · · · · · · · · · · · · · · ·	· •/•/•	·/•/•
Parental lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel mode	•/•/•	•/•/•	•/•/•	•/•/•
Connectivity and interfaces			_	_
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1	1/2/1	1/2/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC	• / • / • (144 Hz) • / • / • / •	•/•/•(144 Hz) •/•/•/•	•/•/•(144 Hz) •/•/•/•	•/•/•(144 Hz) •/•/•/•
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0A	2 x 1,0A	2 x 1,0A	2 x 1,0A
Bluetooth / Miracast / AirPlay / Matter	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
LAN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi TOSLINK / center in (Cinch L/R)	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•	•/•/•	•/•/•
Loewe magic.light / magic.motion	•/ o (via USB-A 2,0A)	• / • (via USB-A 2,0A)	•/ o (via USB-A 2,0A)	• / • (via USB-A 2,0A)
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •
Power socket	C17 (D type)	C17 (D type)	C17 (D type)	C17 (D type)
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	E / E 2180883	E / E 2180883	F / F 2180879	F/F 2180879
Mains voltages / Power switch / Off mode (watts)		220-240 V, 50/60 Hz / • / 0,0		
Energy consumption SDR / HDR (ca. kWh/1000h)	79 / 85	79 / 85	68 / 75	68 / 75
Power consumption max. @ audio 1/8 volume (watts)	400	400	300	300
Power consumption standby / network standby (watts)	0,4 / 0,6	0,4 / 0,6	0,4 / 0,6	0,4 / 0,6
Dimensions (* incl. signature flag: ca. 1 cm)				
Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution	20,5 / 23,1 146,8 x 88,8 x 4,7	19,8 / 22,4 146,8 x 88,8 x 4,7	16,6 / 19,1 124,9 x 76,5 x 4,7	16,2 /18,7 124,9 x 76,5 x 4,7
W* x H x D (cm) incl. table stand	146,8 x 94,0 x 27,5	146,8 x 94,0 x 27,5	124,9 x 76,5 x 4,7 124,9 x 81,7 x 27,5	124,9 x 76,5 x 4,7 124,9 x 81,7 x 27,5
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of delivery	<u> </u>			
Speaker	integrated	integrated	integrated	integrated
Setup Solution / rotate-able	table stand / •	table stand / •	table stand / •	table stand / •
Remote control (incl. batteries)  Manual / power cord	Loewe remote alu (2x AAA) • / • (2,5 m, black)	Loewe remote alu (2x AAA)  • / • (2,5 m, black)	Loewe remote alu (2x AAA)  • / • (2,5 m, black)	Loewe remote alu (2x AAA)  • / • (2,5 m, black)
Others	welcome box	welcome box	welcome box	welcome box
Optional accessories	_		_	_
Selection of recommended setup solutions	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
and audio systems	floor stand motor stellar	floor stand motor stellar	floor stand motor stellar	floor stand motor stellar
	floor stand flex	floor stand flex	floor stand flex	floor stand flex
	floor stand universal wall mount universal	floor stand universal wall mount universal	floor stand universal wall mount universal	floor stand universal wall mount universal
	wall mount slim 432	wall mount slim 432	wall mount slim 432	wall mount slim 432
	wall mount stellar	wall mount stellar	wall mount stellar	wall mount stellar
	multi.room amp	multi.room amp	multi.room amp	multi.room amp

<sup>• =</sup> available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks<sup>™</sup> or registered<sup>®</sup> trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical data	48 dr+ alu brushed + concrete	48 dr+ alu brushed + alu	<b>42 dr+</b> alu brushed + concrete	42 dr+ alu brushed + alu
Loewe stellar (vi)	alu black + lava		alu black + lava	
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)			
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	121 / 48 / 1	121 / 48 / 1	106 / 42 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	800 / 120° • / • / •	800 / 120° • / • / •	800 / 120°	800 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	•/•/•			•/•/•
UHD scaling / Auto dimming / AI PQ / Adaptive contrast /		•/•/•/• (INCL. IQ PD)/•		
24p	(INCL. IQ FD)/	4/ 4/ 4/ 4 (INCL. IQ PD)/4	4/4/4/4 (INCL. IQ PD)/4	<b>●/ ●/ ●/ ●</b> (INCL. IQ FD)/
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG  Reception				
DVB-T2 / C / S2 / HD / twin triple-tuner				• • • •
DVB radio / DiSEqC / Unicable / dual channel	•/•/•/•	•/•/•	•/•/•	•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/• (incl. H.266)	•/•/•/• (incl. H.266)	•/•/•/• (incl. H.266)	•/•/• (incl. H.266)
Zattoo / HD+	•/•	•/•	•/•	•/•
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes			
Front firing / down firing / 2-channel crossover	•/-/•	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	• • • •	• • • •	• • • •	• • • •
Class-D amp / Auto volume / Al AQ / EQ / Dynamic loudness	• • • •	• • • •	• • • •	• • • •
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL8/os9/34/•	SL8/os9/34/•	SL8/os9/34/•	SL8/os9/34/•
my Loewe app / smart apps (all: Android + iOS)	• / VIDAA Smart TV app	• / VIDAA Smart TV app	<ul><li>/ VIDAA Smart TV app</li></ul>	<ul><li>✓ VIDAA Smart TV app</li></ul>
Voice control: Alexa Skills / other	• / VIDAA voice			
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000	• / 10.000
Loewe dr+: capacity	1 TB SSD	0,5 TB SSD	1 TB SSD	0,5 TB SSD
Multi Recording / USB recording / timeshift	•/0/•	•/0/•	•/0/•	•/0/•
Mediatext (HbbTV) / Teletext / splitscreen	•/•/•	•/•/•	•/•/•	•/•/•
Media player / dlna player / browser	•/•/•	•/•/•	•/•/•	•/•/•
TV Channel+ / VOD premium services / Al comfort features	•/•/•	•/•/•	•/•/•	•/•/•
Parental lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel mode	•/•/•	•/•/•	•/•/•	•/•/•
Connectivity and interfaces	4.0.4	4.40.44	4 (0 (4	
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1	1/2/1	1/2/1
HDMI HDM ALLM / VRR	2 x HDMI 2.0b, 2 x HDMI 2.1 • / • / • (144 Hz)	2 x HDMI 2.0b, 2 x HDMI 2.1 • / • / • (144 Hz)	2 x HDMI 2.0b, 2 x HDMI 2.1 • / • / • (144 Hz)	2 x HDMI 2.0b, 2 x HDMI 2.1 • / • / • (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•(144 NZ) •/•/•/•	•/•/•(144 □Z) •/•/•/•	- <del>• / • / • (144 □Z)</del> • / • / • / •	•/•/•(144 □Z) •/•/•/•
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1.0 A	2 x 1.0A	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	2 X 1,0 M	2 × 1,0 ∧ • / • / • / •	2 X 1,0 A	<u>∠ × 1,∪ ∧</u> • / • / • / •
LAN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
TOSLINK / center in (Cinch L/R)	•/-	•/-	•/-	•/-
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•	•/•/•	• /•/•
Loewe magic.light / magic.motion	• / • (via USB-A 2,0A)	•/ • (via USB-A 2,0A)	• / • (via USB-A 2,0A)	• / o (via USB-A 2.0A)
Home automation / Control4 / Crestron	• (via IP) / • / •			
Power socket	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)
Energy			, , , , , , , , , , , , , , , , , , , ,	
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G/G	G/G	G/G	G/G
EPREL registration No.: https://eprel.ec.europa.eu	2180878	2180878	2180872	2180872
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / • / 0,0	220-240 V, 50/60 Hz / • / 0,0	220-240 V, 50/60 Hz / • / 0,0	220-240 V, 50/60 Hz / • / 0,
Energy consumption SDR / HDR (ca. kWh/1000h)	63 / 70	63 / 70	58 / 58	58 / 58
Power consumption max. @ audio 1/8 volume (watts)	200	200	170	170
Power consumption standby / network standby (watts)	0,4 / 0,5	0,4 / 0,5	0,4 / 0,5	0,4 / 0,5
Dimensions (* incl. signature flag: ca. 1 cm)				
Weight (ca. kg) excl. / incl. standard setup solution	13,8 / 16,0	13,6 / 15,8	12,0 / 13,9	12,0 / 13,9
W* x H x D (cm) without setup solution	109,3 x 67,7 x 4,7	109,3 x 67,7 x 4,7	95,8 x 60,2 x 4,7	95,8 x 60,2 x 4,7
W* x H x D (cm) incl. table stand	109,3 x 72,9 x 19,5	109,3 x 72,9 x 19,5	95,8 x 65,4 x 19,5	95,8 x 65,4 x 19,5
VESA support / Kensington lock	300 x 200 / ●			
Scope of delivery				
Speaker	integrated	integrated	integrated	integrated
Setup Solution / rotate-able	table stand / ●	table stand / •	table stand / •	table stand / ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)			
Manual / power cord	• / • (2,5 m, black)	●/● (2,5 m, black)	●/● (2,5 m, black)	●/● (2,5 m, black)
Others	welcome box	welcome box	welcome box	welcome box
Optional accessories	flano One III.	flee-Qeellin I I	Harring Carlling 1	flace O and the state of the st
Selection of recommended setup solutions	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
and audio systems	floor stand motor stellar			
	floor stand flex	floor stand flex	floor stand flex	floor stand flex
	0 1 1 1 1			
	floor stand universal	floor stand universal	floor stand universal	floor stand universal
	wall mount universal	wall mount universal	wall mount universal	wall mount universal

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

wall mount stellar

wall mount stellar

wall mount stellar

58 — **—** 59

<sup>• =</sup> available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Loewe iconic inspire	inspire 65	inspire 55
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	●/●/●/(incl. IQ PD)/●	•/•/•(incl. IQ PD)/•
	07 07 07 0(Incl. 1Q 1 b) 7 0	07 07 07 0 (IIICI. IQ I B)7 0
Receiption		
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/-	•/•/•/-
DVB radio / DiSEqC / Unicable / Dual channel	●/●/●/—	•/•/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/ (incl. H.266)	•/•/•/• (incl. H.266)
TV+ / Zattoo app / HD+ app	• (VIDAA tv) / • / •	• (VIDAA tv) / • / •
Audio		
Output (ca. watts sine / music) / driver (active + passive)	180 / 360 / 9	180 / 360 / 9
Acoustic speaker concept	klang bar3 mr	klang bar3 mr
Front firing / down firing / 2-channel crossover	•/ — / • (active)	•/-/• (active)
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	• • • •	• • • •
Class-D amp / Auto Volume / EQ / Dyn. Loudness	•/•/•/•	<u>•/•/•/•</u>
		0,0,0,0
Operation and apps	0.5 : - : :	0.0 / 0.55
Chassis / os / languages (menu, help) / app store	SL8 / os8 / 33 / •	SL8 / os8 / 33 / •
my Loewe app / smart apps (all: Android + iOS)	• / VIDAA Smart TV app	• / VIDAA Smart TV app
Voice control: Alexa Skills / other	• / VIDAA voice	• / VIDAA voice
EPG / Number of stations in channel list	• / 10.000	•/10.000
Mediatext (HbbTV) / Teletext / Splitscreen	●/●/●	•/•/•
Parental Lock / Automatic turn-off / Timer	●/●/●	•/•/•
Software update (via USB / Internet) / Hotel Mode	●/●/●	•/•/•
Multimedia		
Loewe dr+: capacity / USB recording / timeshift	1TB/o/•	1TB/o/•
Media player / dlna player / browser	•/•/•	•/•/•
YouTube / Amazon / Netflix / Disney+ / Apple tv+	••••	
		• • • • • • • • • • • • • • • • • • • •
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (120 Hz)	●/●/● (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	●/●/●/●	•/•/•
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/•	•/•/•/•
LAN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	●/●/●/●	•/•/•/•
TOSLINK / center in / cube plug stereo	●/-/●	•/-/•
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•
		• (via IP) / • / •
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •
Home automation / Control4 / Crestron Power socket		
Home automation / Control4 / Crestron Power socket Energy		• (via IP) / • / • C7 (Euro type)
Home automation / Control4 / Crestron Power socket Energy EU energy efficiency class: SDR (EEI) / HDR (EEI)		• (via IP) / • / • C7 (Euro type)  via inspire 55 dr+
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu	• (via IP) / • / •  C7 (Euro type)  via inspire 65 dr+ via inspire 65 dr+	• (via IP) / • / • C7 (Euro type)  via inspire 55 dr+ via inspire 55 dr+
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu  Mains voltages / Power switch / Off mode (watts)	• (via IP) / • / •          C7 (Euro type)  via inspire 65 dr+ via inspire 65 dr+ 220-240 V, 50/60 Hz / - / n.a.	• (via IP) / • / •         C7 (Euro type)  via inspire 55 dr+ via inspire 55 dr+ 220-240 V, 50/60 Hz / - / n.a.
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu  Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h)		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts)		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts)		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu  Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts)  Power consumption standby / network standby (watts)  Dimensions		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu  Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h)  Power consumption max. @ audio 1/8 volume (watts)  Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu  Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution		
Home automation / Control4 / Crestron  Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu  Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h)  Power consumption max. @ audio 1/8 volume (watts)  Power consumption standby / network standby (watts)  Dimensions  W* x H x D (cm) without setup solution  W* x H x D (cm) without setup solution  W* x H x D (cm) incl. table stand		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution  W* x H x D (cm) incl. table stand  VESA support / Kensington lock		
Home automation / Control4 / Crestron  Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu  Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h)  Power consumption max. @ audio 1/8 volume (watts)  Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution  W* x H x D (cm) incl. table stand  VESA support / Kensington lock  Scope of Delivery		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h)  Power consumption max. @ audio 1/8 volume (watts)  Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution  W* x H x D (cm) incl. table stand  VESA support / Kensington lock  Scope of Delivery  Speaker		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution  W* x H x D (cm) incl. table stand  VESA support / Kensington lock  Scope of Delivery  Speaker  Setup Solution / rotate-able		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution  W* x H x D (cm) incl. table stand  VESA support / Kensington lock  Scope of Delivery  Speaker  Setup Solution / rotate-able Remote control (incl. batteries)		
Home automation / Control4 / Crestron  Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu  Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h)  Power consumption max. @ audio 1/8 volume (watts)  Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution  W* x H x D (cm) incl. table stand  VESA support / Kensington lock  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord		
Home automation / Control4 / Crestron  Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu  Mains voltages / Power switch / Off mode (watts)  Energy consumption SDR / HDR (ca. kWh/1000h)  Power consumption max. @ audio 1/8 volume (watts)  Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution  W* x H x D (cm) without setup solution  W* x H x D (cm) incl. table stand  VESA support / Kensington lock  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio I/8 volume (watts) Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others  Optional accessories		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others  Optional accessories		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)		
Home automation / Control4 / Crestron Power socket  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h) Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)  Dimensions  Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand VESA support / Kensington lock  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others  Optional accessories		

<sup>• =</sup> available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

#### **Technical Data**

Loewe inspire 77 dr+

Loewe inspire	77 dr+
Imaga	
Image	LIII LID (2040 - 2100)
Screen resolution (pixels)	Ultra HD (3840 x 2160)  OLED (WRGB)
Display technology	195/77/1
Screen diagonal (cm / inch) / Response time (ms) Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1100/120°
Ex-works individual panel calibration / white D65 / colour RGB	1.100 / 120
UHD scaling / Auto Dimming / Al PQ / Adaptive Contrast / 24p	
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	• / • / • / • (incl. IQ PD) / •
Reception	
DVB-T2 / C / S2 / HD / twin triple-tuner	
DVB radio / DiSEqC / Unicable / dual channel	•/•/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/● (incl. H.266)
Zattoo / HD+	•/•
Audio	
Power (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	— / ● (invisible sound) / —
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	• • • • •
Class-D amp / Auto Volume / Al AQ / EQ / Dynamic Loudness	• • • •
Operation and apps	
Chassis / os / languages (menu, help) / app store	SL8/os8/33/•
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa Smart TV app
Voice control: Alexa Skills / other	• / Vidaa voice
EPG / Number of stations in channel list	• / 10.000
Loewe dr+: capacity / USB recording / timeshift	1TB/o/•
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•
Media player / dlna player / browser	•/•/•
TV Channel+ / premium VOD services / Al comfort features	•/•/•
Parental Lock / Automatic turn-off / Timer	●/●/●
Software update (via USB / Internet) / Hotel Mode	•/•/•
Connectivity and Interfaces	
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay / DTS Play-Fi	●/●/●/●
LAN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	●/●/●/●
TOSLINK / cube plug stereo	
Audio out control: fix / variable / sub (3.5 mm)	<u>●/●/●</u>
Home automation / Control4 / Crestron	● (via IP) / ● / ●
Power socket	C7 (Euro type)
Energy	
EU energy efficiency class: SDR (EEI) / HDR (EEI)	E (0,736) / E (0,703)
EPREL registration No.: https://eprel.ec.europa.eu	1993349
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / — / n.a.
Energy consumption SDR / HDR (ca. kWh/1000h)	110 / 105
Power consumption max. @ audio 1/8 volume (watts)	500
Power consumption standby / network standby (watts)	0,3 / 0,8
Dimensions (* incl. signature flag: ca. 1 cm)	
Weight (ca. kg) excl. / incl. standard setup solution	34,1 / 35,9 (wm universal)
W* x H x D (cm) without setup solution	173,1 x 102,3 x 8,4
W* x H x D (cm) incl. table stand	173,1 x 102,3 x 12,2 (wm universal)
VESA support / Kensington lock	300 x 200 / ●
Scope of Delivery	
Speaker	invisible sound (in TV integrated)
Setup Solution / rotate-able	wall mount universal / —
Remote control (incl. batteries)	Loewe remote alu (2x AAA)
Manual / power cord	• / • (2,5 m, black)
Optional accessories	
Optional accessories Selection of recommended setup solutions and audio systems	floor2ceiling stand
<u> </u>	floor2ceiling stand floor stand flex
<u> </u>	
<u> </u>	floor stand flex
<u> </u>	floor stand flex wall mount slim 432

<sup>• =</sup> available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

60 - 61

Loewe inspire	65 dr+	55 dr+	48 dr+
mage			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Green diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
x-works individual panel calibration / white D65 / colour RGB	•/•/•	•/•/•	•/•/•
JHD scaling / Auto Dimming / AI PQ / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	•/•/•/(incl. IQ PD)/•	•/•/•(incl. IQ PD)/•	•/•/•(incl. IQ PD)/•
Reception	07 07 0 (mon. 1Q 1 2)7 0	0, 0, 0, 0 (moi. 10 1 b), 0	(IIII.1Q12)/
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/-	•/•/•/—	•/•/•/-
DVB radio / DiSEgC / Unicable / dual channel	•/•/-	•/•/-	•/•/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/• (incl. H.266)	•/•/• (incl. H.266)	•/•/•/• (incl. H.266)
Zattoo / HD+	•/•	•/•	•/•
Audio			
Power (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
ront firing / down firing / 2-channel crossover	— / ● (invisible sound) / —	— / ● (invisible sound) / —	— / ● (invisible sound) / —
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume / AI AQ / EQ / Dynamic Loudness	•/•/•/•	•/•/•/•	•/•/•/•
Operation and apps			
Chassis / os / languages (menu, help) / app store	SL8/os8/33/•	SL8/os8/33/•	SL8/os8/33/•
ny Loewe app / smart apps (all: Android + iOS)	• / Vidaa Smart TV app	• / Vidaa Smart TV app	• / Vidaa Smart TV app
oice control: Alexa Skills / other	<ul> <li>/ Vidaa voice</li> </ul>	<ul> <li>✓ Vidaa voice</li> </ul>	• / Vidaa voice
PG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000
oewe dr+: capacity / USB recording / timeshift	1TB/o/•	1TB/o/•	1TB/o/•
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Media player / dlna player / browser	•/•/•	•/•/•	•/•/•
TV Channel+ / premium VOD services / Al comfort features	•/•/•	•/•/•	<u> </u>
Parental Lock / Automatic turn-off / Timer	•/•/•	<u> </u>	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	- <del>0</del> /0/0	•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMl 2.0b, 2 x HDMl 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	•/•/• (120 Hz)	• / • / • (120 Hz)	• / • / • (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•	•/•/•/•
JSB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay / DTS Play-Fi	•/•/•/•	•/•/•/•	•/•/•/•
AN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	•/•/•/•	•/•/•/•	•/•/•/•
TOSLINK / cube plug stereo	•/•	•/•	•/•
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•	•/•/•
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •
Power socket	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,879) / G (0,914)	F(0,893)/F(0,847)	F(0,851)/F(0,848)
EPREL registration No.: https://eprel.ec.europa.eu	1993207	1993193	1653891
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / — / n.a.	220-240 V, 50/60 Hz / — / n.a.	220-240 V, 50/60 Hz / — / n.a.
nergy consumption SDR / HDR (ca. kWh/1000h)	100 / 104	77 / 73	58 / 58
Power consumption max. @ audio 1/8 volume (watts)	425	300	200
Power consumption standby / network standby (watts)	0,3 / 0,5	0,3 / 0,5	0,3 / 0,5
Dimensions (* incl. signature flag: ca. 1 cm)			
Veight (ca. kg) excl. / incl. standard setup solution	29,2 / 35,2	22,8 / 28,8	15,5 / 21,5
V* x H x D (cm) without setup solution	146,0 x 86,8 x 6,4	123,6 x 74,4 x 6,4	107,7 x 65,4 x 6,4
V* x H x D (cm) incl. table stand	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
/ESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ◆
Scope of Delivery			
Speaker	invisible count (in TV integrated)	invisible sound (in TV integrated)	invisible sound (in TV interest - IV
Бреакег Setup Solution / rotate-able	invisible sound (in TV integrated) wall mount universal / —	wall mount universal / —	invisible sound (in TV integrated) wall mount universal / —
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
	Loewe remote alu (2x AAA)		Loewe remote alu (2x AAA)
Manual / power cord	▼/ ▼ (∠,5 III, DIACK)	▼/ ▼ (∠,∪111, DIdCK)	▼ / ▼ (∠,∋ III, DIBCK)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
	floor stand flex	floor stand flex	floor stand flex
	wall mount slim 432	wall mount slim 432	wall mount slim 432
	wall mount universal	wall mount universal	wall mount universal
	klang bar5 mr	klang bar5 mr	klang bar3 mr
	klang bar3 mr	klang bar3 mr	klang bar i
	klang bar i	klang bar i	klang sub1
	klang suh1	klang suh1	multi room amp
	klang sub1 multi.room amp	klang sub1 multi.room amp	multi.room amp

<sup>• =</sup> available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

#### **Technical Data**

Loewe inspire & klang bar i	65 dr+ set	55 dr+ set	48 dr+ set
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	•/•/•	•/•/•	•/•/•
UHD scaling / Auto Dimming / Al PQ / Adaptive Contrast / 24p		•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	• / • / • / • (incl. IQ PD) / •	•/•/•/•(incl. IQ PD)/•	•/•/•/•(incl. IQ PD)/•
Reception			
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/-	•/•/•/-	•/•/•/-
DVB radio / DiSEqC / Unicable / dual channel	•/•/•/—	•/•/-	•/•/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/● (incl. H.266)	•/•/• (incl. H.266)	●/●/●/● (incl. H.266)
Zattoo / HD+	•/•	•/•	•/•
Audio	0.00 (0.40 (0.		
Power (watts sine / music) / driver (active + passive)  Acoustic speaker concept	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8 klang bar i	2 x 20 / 2 x 40 / 8
Front firing / down firing / 2-channel crossover	klang bar i	•/—/•	klang bar i •/—/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•		
Class-D amp / Auto Volume / Al AQ / EQ / Dynamic Loudness	•/•/•/•		
Operation and apps	., ., ., ., .		
Chassis / os / languages (menu, help) / app store	SL8/os8/33/•	SL8/os8/33/•	SL8/os8/33/•
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa Smart TV app	• / Vidaa Smart TV app	• / Vidaa Smart TV app
Voice control: Alexa Skills / other	• / Vidaa voice	Vidaa voice      Vidaa voice	Vidaa voice
EPG / Number of stations in channel list	• / 10.000	•/10.000	•/10.000
Loewe dr+: capacity / USB recording / timeshift	1TB/o/•	1TB/o/•	1TB/o/•
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Media player / dlna player / browser	●/●/●	•/•/•	•/•/•
TV Channel+ / premium VOD services / Al comfort features	●/●/●	•/•/•	•/•/•
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (120 Hz)	●/●/● (120 Hz)	●/●/● (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•	•/•/•/•
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay / DTS Play-Fi	•/•/•/•	•/•/•	•/•/•/
LAN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	•/•/•	_ <del>•/•/•/•</del>	<u> •/•/•/•</u>
TOSLINK / cube plug stereo Audio out control: fix / variable / sub (3.5 mm)		_ <del>*/*</del>	<u> </u>
Home automation / Control4 / Crestron		- (via IP) / • / •	
Power socket		C7 (Euro type)	• (via IP) / • / • C7 (Euro type)
Energy	0. (20.0 1) [27]	. (==:-= 1, p=)	. (20.2 3/20)
EU energy efficiency class: SDR (EEI) / HDR (EEI)	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
EPREL registration No.: https://eprel.ec.europa.eu	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / — / n.a.	220-240 V, 50/60 Hz / — / n.a.	220-240 V, 50/60 Hz / — / n.:
Energy consumption SDR / HDR (ca. kWh/1000h)	100 / 104	77 / 73	58 / 58
Power consumption max. @ audio 1/8 volume (watts)	425	300	200
Power consumption standby / network standby (watts)	0,3 / 0,5	0,3 / 0,5	0,3 / 0,5
Dimensions (* incl. signature flag: ca. 1 cm)			
Weight (ca. kg) excl. / incl. standard setup solution	31,1 / 37,1	24,7 / 30,7	17,4 / 23,4
Weight (ca. kg) exc. 7 mer. standard setup solution  W* x H x D (cm) without setup solution	146.0 x 86.8 x 6.4	123,6 x 74,4 x 6,4	107.7 x 65.4 x 6.4
W* x H x D (cm) incl. table stand	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of Delivery			
Speaker	klang bar i (in extra carton)	klang bar i (in extra carton)	klang bar i (in extra carton)
Setup Solution / rotate-able	table stand i / ●	table stand i / •	table stand i / ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	• / • (2,5 m, black)	<ul><li>/ ● (2,5 m, black)</li></ul>	• / • (2,5 m, black)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
	floor stand flex	floor stand flex	floor stand flex
	wall mount slim 432	wall mount slim 432	wall mount slim 432
	wall mount universal	wall mount universal	wall mount universal
	klang bar5 mr	klang bar5 mr	klang bar3 mr
	klang bar3 mr	klang bar3 mr	klang sub1
	klang sub1	klang sub1	multi.room amp

<sup>• =</sup> available, o = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

<sup>3.</sup> 

Loewe callas	43	32
mage		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Full HD (1920 x 1080)
Display technology	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)
Screen diagonal (cm / inch) / Response time (ms)	108/43/8	81/32/6,5
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	450 / 178°	350 / 178°
Ex-works individual panel calibration / white D65 / colour RGB	●/●/●	•/•/•
UHD scaling / Auto dimming / Al PQ / Adaptive contrast / 24p	•/•/•/•	<u>_/•/_/•/•</u>
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	• / • / • (incl. IQ PD) / •	•/•/-/-
Receiption		
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/-	•/•/•/-
DVB radio / DiSEqC / Unicable / dual channel	•/•/-	•/•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) Zattoo / HD+	●/●/●/● (incl. H.266)	●/●/● (incl. H.266)
	•/•	•/•
Audio		
Power (watts sine / music) / driver (active + passive)	2×15/2×30/4	2 x 15 / 2 x 30 / 4
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	•/-/-	•/-/-
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•
Class-D amp / Auto volume / Al AQ / EQ / Dynamic loudness	•/•/•/•	•/•/•/•
Operation and apps	010 ( 0 :55 :	0.0 ( 0.05 )
Chassis / os / languages (menu, help) / app store	SL8 / os8 / 33 / •	SL8 / os8 / 33 / •
my Loewe app / smart apps (all: Android + iOS)	• / VIDAA Smart TV app	/ VIDAA Smart TV app
Voice control: Alexa Skills / other  EPG / Number of stations in channel list	• / VIDAA Voice	/ VIDAA Voice     / 10.000
EPG / Number of stations in channel list  Loewe dr+: capacity	• / 10.000	• / 10.000
Loewe ar+: capacity  Multi Recording / USB recording / timeshift		
Mediatext (HbbTV) / Teletext / splitscreen		
Media player / dina player / browser	•/•/•	
TV Channel+ / VOD premium services / Al comfort features	•/•/•	
Parental lock / Automatic turn-off / Timer	•/•/•	
Software update (via USB / Internet) / Hotel mode	•/•/•	•/•/•
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMl 2.0b, 2 x HDMl 2.1
HDMI UHD / ALLM / VRR	●/●/●(120 Hz)	•/•/•(120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay / DTS Play-Fi	•/•/•/•	•/•/•
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	●/●/●/●	•/•/•/•
TOSLINK / cube plug stereo	•/-	•/-
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •
Power socket	C7 (Euro type)	C7 (Euro type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G (0,927) / G (1,474)	F (0,752) / G (1,249)
EPREL registration No.: https://eprel.ec.europa.eu	2001498	1978040
Energy consumption SDR / HDR (ca. kWh/1000h)	53 / 85	27 / 46
Power consumption max. @ audio 1/8 volume (watts)	110	70
Power consumption standby / network standby (watts)	0,4 / 0,8	0,4 / 0,8
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / — / n.a.	220-240 V, 50/60 Hz / — / n.a.
Dimensions		
Weight (ca. kg) excl. / incl. standard setup solution	12,0 / 14,8	7,3 / 10,0
W* x H x D (cm) without setup solution	97,0 x 58,9 x 6,8	72,5 x 45,6 x 7,9
W* x H x D (cm) incl. table stand	97,0 x 63,3 x 25,4	72,5 x 49,8 x 25,4
VESA support / Kensington lock	300 x 300 / ●	100 x 100 / ●
Scope of Delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand c / ●	table stand c / ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	<ul><li>/ ● (2,5 m, black)</li></ul>	<ul><li>/ ● (2,5 m, black)</li></ul>
Optional accessories		
Selection of recommended setup solutions and audio systems	floor stand universal black	floor stand universal black
	floor stand c	floor stand c
	wall mount slim 432	wall mount slim 221
	wall mount universal	wall mount universal
	klang bar3 mr	klang sub1

<sup>• =</sup> available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

#### **Technical data**

We. SEE oled	65 oled	55 oled	48 oled
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	800 / 120°	800 / 120°	800 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	•/•/•	•/•/•	•/•/•
UHD scaling / Auto Dimming / Al PQ / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	• / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •	•/•/•/•(incl. IQ PD)/•
Receiption			
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/-	• / • / • / • / -	•/•/•/-
DVB radio / DiSEqC / Unicable / dual channel	•/•/-	• / • / • /-	•/•/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)
TV Channel+ / Zattoo / HD+	•/•/•	•/•/•	•/•/•
Audio			
Power (watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 6	2×15/2×30/6	2 x 15 / 2 x 30 / 6
Acoustic speaker concept	invisible sound	invisible sound	invisible sound
Front firing / down firing / 2-channel crossover	-/•/-	-/•/-	-/•/-
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume / EQ / Dynamic Loudness	•/•/•/•	•/•/•/•	•/•/•/•
Operation and apps			
Chassis / os / languages (menu, help) / app store	SL8/os8/33/•	SL8/os8/33/•	SL8/os8/33/•
my Loewe app / smart apps (all: Android + iOS)	• / VIDAA Smart TV app	• / VIDAA Smart TV app	• / VIDAA Smart TV app
Voice control: Alexa Skills / other	• / VIDAA Voice	• / VIDAA Voice	• / VIDAA Voice
EPG / Number of stations in channel list	•/10.000	•/10.000	•/10.000
Loewe dr+: capacity / USB recording / timeshift	-/•/•	-/•/•	-/•/•
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Media player / dlna player / browser	<u> </u>	•/•/•	•/•/•
Premium VOD services	•	•	•
Parental Lock / Automatic turn-off / Timer	•/•/•		
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/●(120 Hz)	•/•/•(120 Hz)	●/●/●(120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•	•/•/•(120 HZ)
	1 x 1.0 A. 1 x 0.5 A	1 x 1,0 A, 1 x 0,5 A	1 x 1,0 A, 1 x 0,5 A
USB-A: number x power Bluetooth / Miracast / AirPlay / DTS Play-Fi	1X1,0 A, 1X 0,5 A	1X1,0 A, 1X 0,5 A	1 X 1,0 A, 1 X 0,5 A
	_		
LAN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	_ •/•/•	•/•/•	<u>•/•/•/•</u>
TOSLINK / center in / cube plug stereo	•/-/-	•/-/-	• /-/-
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•	•/•/•
Home automation / Control4 / Crestron Power socket	_ (via IP)/ • / • C13 (D type)	• (via IP)/ • / • C13 (D type)	• (via IP)/ • / • C7 (Euro type)
Energy	C13 (D type)	C13 (D type)	C7 (Euro type)
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,862) / E (0,601)	F(0,888) / E(0,699)	F (0.893) / F (0.850)
EPREL registration No.: https://eprel.ec.europa.eu	1947856	1947859	1947864
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / r
Energy consumption SDR / HDR (ca. kWh/1000h)	98 / 68	77 / 60	61/58
Power consumption max. @ audio 1/8 volume (watts)	<u>420</u>	300	250
Power consumption standby / network standby (watts)	0.3 / 0.8	0,3 / 0,8	0,3 / 0,8
Dimensions (* incl. signature flag: ca. 1 cm)	5,5 / 6,6	0,0 / 0,0	0,07 0,0
	25.5.7.22	10.7 / 22.0	14.9. / 10.1
Weight (ca. kg) excl. / incl. standard setup solution	25,5 / 32	18,7 / 23,0	14,8 / 19,1
W* x H x D (cm) without setup solution	145,7 x 83,6 x 6,8	123,4 x 71,2 x 6,8	107,7 x 62,8 x 6,6
W* x H x D (cm) incl. table stand	145,7 x 87,2 x 26,5	123,4 x 74,1 x 23,7	107,7 x 65,7 x 23,7
VESA support / Kensington lock	300 x 200 / -	300 x 200 / -	300 x 300 / -
Scope of Delivery			
Speaker	integrated	integrated	integrated
Setup Solution / rotate-able	table stand/ •	table stand/ ●	table stand/ •
Remote control (incl. batteries)  Manual / power cord	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA
· · · · · · · · · · · · · · · · · · ·	•/ •	<b>√</b> / <b>▼</b>	<i>₹/</i> <b>₹</b>
Optional accessories  Soloction of recommended setup solutions and audio systems	wall mount slim 432	wall mount clim 422	wall mount slim 432
Selection of recommended setup solutions and audio systems		wall mount slim 432	
	wall mount universal	wall mount universal	wall mount universal
	klang bar5 mr	spacer table stand i	spacer table stand i
	11 1 3		
	klang bar3 mr klang sub1	klang bar5 mr klang bar3 mr	klang bar3 mr klang sub1

<sup>• =</sup> available, • = optional, — = not available \* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

- 65

We. SEE oled dc	65 dual channel	55 dual channel	48 dual channel	42 dual channel
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121/48/1	106/42/1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	800 / 120°	800 / 120°	800 / 120°	800 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	•/•/•	•/•/•	•/•/•	•/•/•
UHD scaling / Auto dimming / Al PQ / Adaptive contrast / 24p	•/•/•/•		•/•/•/•	- 0/0/0/0/0
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG		-		• / • / • / • (incl. IQ PD)
Reception				
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
DVB radio / DiSEqC / Unicable / dual channel	•/•/•	•/•/•	•/•/•/•	•/•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.26
Zattoo / HD+	•/•	•/•	•/•	•/•
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 6	2 x 15 / 2 x 30 / 6	2x15/2x30/6	2x15/2x30/6
Acoustic speaker concept	invisible sound	invisible sound	invisible sound	invisible sound
Front firing / down firing / 2-channel crossover	-/•/-	-/ • /-	-/•/-	-/ • /-
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto volume / Al AQ / EQ / Dynamic loudness	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL8/os9/34/●	SL8/os9/34/•	SL8/os9/34/•	SL8/os9/34/•
my Loewe app / smart apps (all: Android + iOS)	<ul> <li>/VIDAA Smart TV app</li> </ul>	<ul> <li>/VIDAA Smart TV app</li> </ul>	<ul> <li>/VIDAA Smart TV app</li> </ul>	<ul> <li>/VIDAA Smart TV ap</li> </ul>
Voice control: Alexa Skills / other	VIDAA Voice	• /VIDAA Voice	/VIDAA Voice	/VIDAA Voice
EPG / Number of stations in channel list	•/10.000	•/10.000	•/10.000	•/10.000
Multi Recording / USB recording / timeshift	• /(via USB)/ • / •	•/(via USB)/•/•	•/(via USB)/•/•	●/(via USB)/●/●
	•\(\(\overline{\pi}\)\(\overline{\pi}\)\(\overline{\pi}\)	•\(\n\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		- (via USB)/ • / •
Mediatext (HbbTV) / Teletext / splitscreen			•/•/•	
Media player / dlna player / browser	•/•/•	•/•/•	•/•/•	•/•/•
TV Channel+ / VOD premium services / AI comfort features	•/•/•	•/•/•	•/•/•	•/•/•
Parental lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel mode	•/•/•	•/•/•	•/•/•	●/●/●
Connectivity and interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1	1/2/1	1/2/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDN
HDMI UHD / ALLM / VRR	•/•/•(120 Hz)	•/•/•(120 Hz)	•/•/•(120 Hz)	•/•/•(120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•	•/•/•/•	•/•/•/•
JSB-A: number x power	1 x 1.0 A. 1 x 0.5 A	1 x 1.0 A. 1 x 0.5 A	1 x 1.0 A. 1 x 0.5 A	1 x 1.0 A. 1 x 0.5 A
USB-C: number x power	2 x 1.0 A	2 x 1.0 A	2 x 1.0 A	2 x 1.0 A
Bluetooth / Miracast / AirPlay / Matter	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
LAN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	•/•/•/•		•/•/•/•	- 0/0/0/0
TOSLINK			•	
	· · · · · · · · · · · · · · · · · · ·			•
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•	•/•/•	•/•/•
Home automation / Control4 / Crestron	• (via IP)/ • / •	• (via IP)/ • / •	• (via IP)/ • / •	• (via IP)/ • / •
Power socket	C13	C13	C7 (Euro type)	C7 (Euro type)
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,810) / F (0,757)	F(0,893)/G(0,951)	G (0,965) / G (1,022)	G (0,934) / G (0,950)
EPREL registration No.: https://eprel.ec.europa.eu	2362955	2362923	2362879	2421495
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / - /	220-240 V, 50/60 Hz / - /	220-240 V, 50/60 Hz / - /	220-240 V, 50/60 Hz /
Energy consumption SDR / HDR (ca. kWh/1000h)	n.a.	n.a.	n.a.	n.a.
Power consumption max. @ audio 1/8 volume (watts)	92 / 86	77 / 82	66 / 70	57 / 58
Power consumption standby / network standby (watts)	420	- 300	250	- 200
one, consumption standby / network standby (watts)	0,3 / 0,5	0,3 / 0,5	0,3 / 0,5	0,3 / 0,5
Dimensions (* incl. signature flag: ca. 1 cm)				
Weight (ca. kg) excl. / incl. standard setup solution	25,2 / 31,9	17,6 / 22,2	14,7 / 19,2	12,3 / 16,3
Weight (ca. kg) excl. 7 incl. standard setup solution  W* x H x D (cm) without setup solution	145,7 x 83,8 x 6,8	123,4 x 71,2 x 6,8	14,7 / 19,2 107,7 x 62,8 x 6,6	94,0 x 55,0 x 6,6
W* x H x D (cm) incl. table stand	145,7 x 87,5 x 26,5	123,4 x 74,6 x 23,7	107,7 x 66,2 x 23,7	94,0 x 58,5 x 23,7
VESA support / Kensington lock	300 x 200 / -	300 x 200 / -	300 x 300 / -	300 x 300 / -
Scope of delivery				
Speaker Calabata (astata alba	integrated	integrated	integrated	integrated
Setup Solution / rotate-able	table stand/ ●	table stand/ ●	table stand/ ●	table stand/ ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x A/
Manual / power cord	•/•	•/•	•/•	•/•
Optional accessories				
Selection of recommended setup solutions and audio systems	wall mount slim 432	wall mount slim 432	wall mount slim 432	wall mount slim 432
	wall mount universal	wall mount universal	wall mount universal	wall mount universal
	klang bar5 mr	spacer table stand inspire	spacer table stand inspire	spacer table stand insp
	klang bar3 mr	klang bar5 mr	klang bar3 mr	klang bar3 mr
	klang sub1	klang bar3 mr	klang sub1	klang sub1
		klang sub1		

<sup>• =</sup> available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks<sup>TM</sup> or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g., apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

#### Technical data

We. SEE Icd	43 lcd	32 lcd
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Full HD (1920 x 1080)
Display technology	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)
Screen diagonal (cm / inch) / Response time (ms)	108 / 43 / 8	81/32/6,5
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	450 / 178°	350 / 178°
Ex-works individual panel calibration / white D65 / colour RGB	●/●/●	●/●/●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	•/•/•/•	-/•/-/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	• / • / • / • (incl. IQ)/ •	• / • /-/-/ •
Receiption		
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/-	●/●/●/-
DVB radio / DiSEqC / Unicable / dual channel	●/●/-	●/●/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/•(incl. H.266)	•/•/•(incl. H.266)
Zattoo / HD+	•/•	•/•
Audio		
Power (watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 4	2 x 15 / 2 x 30 / 4
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	• /-/-	• /-/-
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•
Class-D amp / Auto volume / Al AQ / EQ / Dynamic loudness	•/•/•/•	•/•/•/•
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8/os8/33/•	SL8/os8/33/•
my Loewe app / smart apps (all: Android + iOS)	• / VIDAA Smart TV app	• / VIDAA Smart TV app
Voice control: Alexa Skills / other	• / VIDAA Voice	• / VIDAA Voice
EPG / Number of stations in channel list	• /10.000	• /10.000
Loewe dr+: capacity	-	-
Multi Recording / USB recording / timeshift	-/•/•	-/•/•
Mediatext (HbbTV) / Teletext / splitscreen	• / • / •	• / • / •
Media player / dlna player / browser	• / • / •	• / • / •
TV Channel+ / VOD premium services / Al comfort features	• / • / •	• / • / •
Parental lock / Automatic turn-off / Timer	• / • / •	• / • / •
Software update (via USB / Internet) / Hotel mode	• / • / •	• / • / •
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2x HDMI 2.1	1 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (120 Hz)	●/●/●(FHD 60 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	1 x 1,0 A, 1 x 0,5 A
Bluetooth / Miracast / AirPlay / DTS Play-Fi	•/•/•/•	•/•/•
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	•/•/•/•	•/•/•/•
TOSLINK / cube plug stereo	• /-	• /-
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•
Home automation / Control4 / Crestron	• (via IP)/ • / •	• (via IP)/ • •
Power socket	C7 (Euro type)	C7 (Euro type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G (0,927) / G (1,474)	F (0,752) / G (1,249)
EPREL registration No.: https://eprel.ec.europa.eu	1942112	1942107
Energy consumption SDR / HDR (ca. kWh/1000h)	53 / 85	27 / 46
Power consumption max. @ audio 1/8 volume (watts)	110	70
Power consumption standby / network standby (watts)	0,4 / 0,8	0,4 / 0,8
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.
Dimensions		
Weight (ca. kg) excl. / incl. standard setup solution	12,1 / 15,1	7,2 / 10,3
W* x H x D (cm) without setup solution	97,5 x 58,9 x 6,6	73,1 x 45,6 x 7,6
W* x H x D (cm) incl. table stand	97,5 x 60,2 x 20,2	73,1 x 46,7 x 20,2
VESA support / Kensington lock	300 x 300/ ●	100 x 100/ ●
Scope of Delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand / -	table stand / -
Remote control (incl. batteries)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)
Manual / power cord	• / • (2,5 m, black)	• / • (2,5 m, black)
Optional accessories		
Selection of recommended setup solutions and audio systems	floor stand universal black	floor stand universal black
colocation of recommended setup solutions and additions systems	floor stand c	floor stand c
	wall mount slim 432	wall mount slim 221
	wall mount universal	wall mount universal
	klang bar3 mr	klang sub1
	Marig Dar 5 Hill	VIGI18 2001

<sup>• =</sup> available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

klang sub1

66 —

We. BEAM

Image		
Resolution (pixels)	Full HD (1920 x 1080)	
Display technology / DMD eye protection	ALPD laser / ● / ●	
Diagonal (ca. cm/inch) / Response time (ms)	min. 100/40 - max. 300/120 / 1	
Luminance (ca. lumen) / Viewing angle	500 / 120°	
24p support		
HDR / color gamut	HDR10 / Rec. 709	
Life span @ normal mode (ca. h)	25.000	
Uniformity / contrast ratio (FOFO)	min 85% / typ. 500:1	
Offset / Throw ratio	1/12:1	
Auto: focus / keystone / screen align / obstacle	•/•/•/•	
Noise level @ normal mode (dB, 1m)	max. 30	
Audio		
Output (watts sine / music) / driver (active + passive)	2x2,5/2x5/2	
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	Dolby Audio	
	boby radio	
Operation and apps	CLE / acE / a / Lisu w / a / Nat Danca	
Loewe chassis / os / home screen / app store	SL6 / os6 / • (Linux) / • (NetRange)	
my Loewe app Menu languages		
Automatic turn-off / Timer		
Software update (via USB / Internet)	•	
	•	
Multimedia		
Media player / web apps / browser		
YouTube / Amazon prime video / Netflix	●/●/●	
Connectivity and Interfaces		
HDMI		
HDCP 1.4 / HDMI-CEC / ARC	•/•/•	
USB	2 (1 x USB-C)	
USB-A power	5 V / 1,0 A (OUTPUT)	
USB-C power	20 V / 3,25 A (INPUT)	
Bluetooth	<u>•</u>	
Miracast Miracast En	•	
WLAN (Wi-Fi) Audio out control: fix / variable (3.5 mm jack)	• •/•	
Tripod screw thread (mm / inch)	6,35 / 1/4	
	0,337 1/4	
Energy	442 040 V 50 (50 V	
Mains voltages AC	110-240 V, 50/60 Hz	
WoWLAN / Fast Power-On (increased consumption)	•/•	
Dimensions		
Weight (ca. grams)	830	
W x H x D (cm)	17,5 x 4,8 x 17,5	
Scope of Delivery		
Setup Solution / tripod mount	table stand/ ●	
Remote control (incl. batteries)	• (Bluetooth, 2x AAA)	
Manual / power cord	• /USB-C power adapter (150 cm, black)	
Others	travel adapter plugs (EU, UK, AUS)	
Optional accessories		
Selection of recommended setup solutions and audio systems	We. HEAR bluetooth speakers	
	Loewe klang bar3 mr	

We. BEAM

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

#### **Technical Data**

Loewe aura.pure aura.pure

Loewe aura.pure	aura.pure
Design	
Color	basalt gray
Surface	matt
Housing Material	Painted steel
Material Milk Frother Nozzle	Stainless steel
Brewing Unit	58mm
Material of the Brewing Unit	Chrome
Material of the Cup Tray	Stainless steel
	Ottamies steel
Functions	
Type of Operation	Direct selection buttons, rotary controls
Display Size in Inches	1.5"
Display Technology	LCD Display
Color of Display Illumination	white
Temperature Range	88-96 Degrees Celsius
Pre-infusion	•
Steam Wand for Milk Frothing	
Passive Heated Cup Warmer	•
Specialties	
Espresso	
Double Espresso	<u> </u>
Hot Water	•
Hot Milk	•
Milk Froth Production	•
Hygiene Standards	
Filter Cartridges	•
Monitoring of Residual Water Tray	•
Technical Features	
Heating System	3 PID Thermoblocks
Number of Heating Circuits	2
Type of Pumps	Vibration pump
Number of Pumps	
Coffee Extraction Pump Pressure	
Steam Extraction Pump Pressure	4 bar
Brewing Pressure Gauge	<u> </u>
Water Tank	
Water Tank Capacity	2,51
Removable Water Tank	•
Connectivity and Interfaces	
Integrated Grinder	
Number of Grinding Mechanisms	1
Ionizer / Anti-Static Design	•
Type of Grinding Mechanism	Stainless steel
Number of Grind Settings	66
Speed	1400 U/min.
Grinding Discs	Stainless steel, 54mm
Number of Bean Containers	1
	1
Bean Container Capacity	200gr
Connections	
Mains Voltage AC	220-240V, 50 Hz
	2350-2850W/—
Power Consumption / Energy Efficiency Class	
Standby Power	<0.5W
Length of Power Cord	1,1m
Compliance Markings	CE
Dimensions	
	001
Weight (approx. kg)	22kg
W x H x D (approx. cm)	36,0 x 49,0 x 49,0
Scope of Delivery	
1-Spout Portafilter	
	•
2-Spout Portafilter	<u> </u>
Blind Filter	<u> </u>
Cleaning Brush	
Tamper	•
Tamper Pad	
iairipei rau	
	•
Barista Cloth	•
Barista Cloth Milk Pitcher	•
Barista Cloth Milk Pitcher	
Barista Cloth Milk Pitcher <b>Optional accessories</b>	•
Barista Cloth Milk Pitcher Optional accessories	Loewe aura.pure barista set
Barista Cloth Milk Pitcher Optional accessories	Loewe aura.pure barista set Loewe aura.pure milk jug 600 ml
Milk Pitcher  Optional accessories  Selection of recommended setup solutions	Loewe aura.pure barista set Loewe aura.pure milk jug 600 ml Loewe aura descaler
Barista Cloth Milk Pitcher <b>Optional accessories</b>	Loewe aura.pure barista set Loewe aura.pure milk jug 600 ml Loewe aura descaler Loewe aura espresso machine cleaner
Barista Cloth Milk Pitcher Optional accessories	Loewe aura.pure barista set Loewe aura.pure milk jug 600 ml Loewe aura descaler

<sup>• =</sup> available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks<sup>TM</sup> or registered<sup>®</sup> trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

68 -

ullet = available, ullet = optional, — = not available

Loewe headphones

00
eadphone
eo)
<i>'</i>
m, OCE - olefin composite elastomer)
00
522 SoundPlus™
pp)
ed for Dolby Atmos
ated
/ via app
SB audio device)
05 444.0 407.00)
Hz, 24 bit) / • (96 kHz, 24 bit)
ids-free phone, ANC)
dapter cable)
apter cause)
·
lad by Dragi with Open Al \ / = / =
oled by Bragi with OpenAI) / o / o
d Decreasing front to adolescent
d Personalization for Headphones)
rvice)
n vice)
ge approx. 10m)
183,5 MHz
/RCP, AVDTP, AVCTP, GAVDP, HFP, HID, HSP, LE Audio
C, LC3, LC3+
0,200,200
60mAh
(ANC off)
(ARC OII)
x 19 x 4,5 / mid.: 18,5 x 15 x 8,5 / max.: 20 x 16,5 x 8,5
7.10 / 1,0 / 1111u 10,0 / 10 / 0,0 / 111a/ 20 / 10,0 / 0,0
start guida) / IISB C aphla
start guide) / USB-C cable pouch, hard case, cable pocket, AUX > USB-C cable
DOUGH, HAIR CASE, CADIE POCKEL, AUA > USB-C CADIE
eo accessory kits: moonlight beige   midnight blue   horizon bronze
ck

ullet = available, ullet = optional, — = not available

70 —

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required.

Leo Assistant: 1 year free usage with 30.000 interactions. Afterwards subscription for 7,99  $\ensuremath{\mathfrak{C}}$  per month.

Loewe klang	bar5 mr
Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	60-20.000
Orientation front / side / up / rear firing	•/•/•/—
Acoustic speaker concept	closed bar + klang sub5
Channel configuration (speaker layout)	5.1.2 (surround)
Driver total amount	11
Driver active	4x 48 x 90 mm, 3x 0,75", 2x 44 x 74 mm, 2x 3"
2-channel crossover	active
Audio (electric)	
Frequency range (Hz) @ ±1 dB	100-20.000 + 10-200
Class-D amp Power (watts sine / music)	<u>•</u> 220 / 440
Total harmonic distortion @ 1 watt /10 watts	< 0.5
Dynamic range / Signal to noise ratio (dB)	24 bit / > 75
Bass and treble control / loudness	• (remote) / dynamic
Balance / gain adjustment (dB)	— / ● (+/-6dB)
Protection circuit: heat / current / voltage / short cut	•/•/•/•
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	•/•/•/•/•
DTS HD / DTS:X	•/•
Operation and apps	
Display technology	White D-LED
Screen resolution (pixels)	5 x 16 segments
Screen diagonal (cm / inch)	6 / 2.4
my Loewe app / smart apps (all: Android + iOS)	• (DTS Play-Fi)
Voice control by Alexa skills	(DISTIAY-11)
Software update (via USB / Internet)	●/●(DTS Play-Fi)
	(
Media and receiption	
USB music player Bluetooth music player	•
Internet radio	• (via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	• (via D131 lay-11 app)
Spotify Connect / Google Cast / Apple AirPlay	•/•/•
Roon tested	•
Multiroom audio support	•
Multichannel home cinema support	•
Connectivity and interfaces	
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)
HDCP 2.2 / HDMI-CEC / ARC / eARC	●/●/●/●
USB	1 x USB 2.0 (MP3 only)
Bluetooth	•
WLAN (Wi-Fi) integrated	•
Wireless Digital Audiolink (second generation)	•
Optical TOSLINK	•
Analogue audio jack in (3.5 mm stereo)	•
Wall mount	0
Network and formats	
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac
WLAN (Wi-Fi) power (max. mW)	<100
WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2
Bluetooth power (max. mW)	<10
	2,4 GHz
Bluetooth frequency range	
Bluetooth frequency range Bluetooth protocols	A2DP SNK, AVRCP
Bluetooth frequency range	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb
Bluetooth frequency range Bluetooth protocols	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At
Bluetooth frequency range Bluetooth protocols Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO
Bluetooth frequency range Bluetooth protocols Supported audio formats Supported video formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO
Bluetooth frequency range Bluetooth protocols Supported audio formats Supported video formats Energy and environment	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Ft, HI-Rès AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10
Bluetooth frequency range Bluetooth protocols Supported audio formats Supported video formats  Energy and environment Mains voltages AC	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10 100-240V. 50/60 Hz
Bluetooth frequency range Bluetooth protocols Supported audio formats Supported video formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts)	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10 100-240V, 50/60 Hz 0.5
Bluetooth frequency range Bluetooth protocols Supported audio formats Supported video formats  Energy and environment Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts)	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Ft, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10 100-240V, 50/60 Hz 0.5
Bluetooth frequency range Bluetooth protocols Supported audio formats  Supported video formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Ft, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10 100-240V, 50/60 Hz 0.5 6 5-35° C
Bluetooth frequency range Bluetooth protocols Supported audio formats Supported video formats  Energy and environment Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts)	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Ft, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10 100-240V, 50/60 Hz 0.5
Bluetooth frequency range Bluetooth protocols Supported audio formats  Supported video formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Ft, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10 100-240V, 50/60 Hz 0.5 6 5-35° C
Bluetooth frequency range Bluetooth protocols Supported audio formats Supported video formats  Energy and environment Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation Relative humidity (non-condensing)	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Ft, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10 100-240V, 50/60 Hz 0.5 6 5-35° C
Bluetooth frequency range Bluetooth protocols Supported audio formats  Supported video formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation Relative humidity (non-condensing)  Dimensions	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Ft, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10 100-240V. 50/60 Hz 0.5 6 5-35° C 20-80%
Bluetooth frequency range Bluetooth protocols Supported audio formats  Supported video formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation Relative humidity (non-condensing)  Dimensions  Weight (approx. kg)  W* x H x D (approx. cm)	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb, Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby Atmusic, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO, 4K Video Pass-Through, Dolby Vision, DR10, HDR10, HDR10, DOLD,
Bluetooth frequency range Bluetooth protocols Supported audio formats  Supported video formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation Relative humidity (non-condensing)  Dimensions  Weight (approx. kg)  W* x H x D (approx. cm)  Scope of Delivery	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb, Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby Atmusic, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO, 4K Video Pass-Through, Dolby Vision, DR10, HDR10, 100-240V, 50/60 Hz  0.5 6 5-35° C 20-80%
Bluetooth frequency range Bluetooth protocols Supported audio formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation Relative humidity (non-condensing)  Dimensions  Weight (approx. kg) W* x H x D (approx. cm)  Scope of Delivery  Remote control (incl. batteries)	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb, Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby Atmusic, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10, 100-240V, 50/60 Hz 0,5 6 5-35° C 20-80% 6 5-48,8 120.0 x 7.1 x 16.0
Bluetooth frequency range Bluetooth protocols Supported audio formats  Supported video formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation Relative humidity (non-condensing)  Dimensions  Weight (approx. kg) W* x H x D (approx. cm)  Scope of Delivery  Remote control (incl. batteries) Manual / power cord	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atros, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10  100-240V, 50/60 Hz 0.5 6 5-35° C 20-80%  6,5 + 8,8 120,0 x 7,1 x 16,0
Bluetooth frequency range Bluetooth protocols Supported audio formats  Supported video formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation Relative humidity (non-condensing)  Dimensions  Weight (approx. kg) W* x H x D (approx. cm)  Scope of Delivery  Remote control (incl. batteries) Manual / power cord  Öthers	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb, Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby Atmusic, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10, 100-240V, 50/60 Hz 0,5 6 5-35° C 20-80% 6 5-48,8 120.0 x 7.1 x 16.0
Bluetooth frequency range Bluetooth protocols Supported audio formats  Supported video formats  Energy and environment  Mains voltages AC Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts) Ambient temperature while in operation Relative humidity (non-condensing)  Dimensions  Weight (approx. kg) W* x H x D (approx. cm)  Scope of Delivery  Remote control (incl. batteries) Manual / power cord	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolb Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atros, Dolby At Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO 4K Video Pass-Through, Dolby Vision, DR10, HDR10  100-240V, 50/60 Hz 0.5 6 5-35° C 20-80%  6,5 + 8,8 120,0 x 7,1 x 16,0

#### • = available, • = optional, — = not available

#### Technical data

Loewe klang

Frequency range (Hz) @ ±3 dB	35-150
Orientation front / side / up / rear firing	radial (motion compensation
Acoustic speaker concept	closed + passive membranes
Channel configuration (speaker layout)	0.1 (subwoofer)
Driver total amount	- 6
Driver active	2x 6"
Driver passive	4x 6"
2-channel crossover	low pass
Audio (electric)	
Frequency range (Hz) @ ±1 dB	10-200
Class-D amp	•
Power (watts sine / music)	180 / 360
Total harmonic distortion @ 1 watt /10 watts	<1
Dynamic range / Signal to noise ratio (dB)	16 bit / > 60
Bass and treble control / loudness	(gain adjustment) / —
Balance / gain adjustment (dB)	— / ● (via volume knob)
Protection circuit: heat / current / voltage / short cut	•/•/•/•
Media and receiption	
Multiroom audio support	• (via klang bar mr)
Multichannel home cinema support	•
Connectivity and interfaces	
Bluetooth	_
Wireless Digital Audiolink (second generation)	•
Analogue audio jack in (3.5 mm stereo)	•
Network and formats	
WLAN (Wi-Fi) standard	_
WLAN (Wi-Fi) power (max. mW)	<100
WLAN (Wi-Fi) frequency range	5725-5850 MHz
WLAN (Wi-Fi) encryption	_
WLAN (Wi-Fi) encryption WPA	_
Energy and environment	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	0,5
Power consumption network standby mode (watts)	0,5
Ambient temperature while in operation	5-35° C
Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg)	8,8
W* x H x D (approx. cm)	38,0 x 21,4 x 38,0
Scope of Delivery	
Manual / power cord	•/•
Others	_
Optional accessories	
	klang barE mr klang bar2 mr
Selection of recommended setup solutions	klang bar5 mr, klang bar3 mr

sub5

**—** 71

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Technical data	
Loewe klang	bar3 mr
Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	50-20.000
Orientation front / side / up / rear firing	
Acoustic speaker concept Channel configuration (speaker layout)	closed bar, twin drive sub, bass reflex 3.1 (surround)
Driver total amount	9
Driver active	4x 48 x 90 mm, 3x 0,75", 2x 4"
2-channel crossover	• active
Audio (electric)	
Frequency range (Hz) @ ±1 dB Class-D amp	20-20.000
Power (watts sine / music)	
Total harmonic distortion @ 1 watt /10 watts	<0,5
Dynamic range / Signal to noise ratio (dB)	24 bit / > 75
Bass and treble control / loudness Distance adjustment (m)	• (remote) / dynamic
Balance / gain adjustment (dB)	
Protection circuit: heat / current / voltage / short cut	●/●/●/●
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	
DTS HD / DTS:X	●/●
Operation and apps	With DIED
Display technology Screen resolution (pixels)	White D-LED  5 x 16 segments
Screen diagonal (cm / inch)	5 x 10 segments 6 / 2.4
my Loewe app / smart apps (all: Android + iOS)	● (DTS Play-Fi)
Voice control by Alexa skills	(2700) 50
Software update (via USB / Internet)	● / ● (DTS Play-Fi)
Media and receiption	
USB music player Bluetooth music player	
Internet radio	• (via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	•/•
Spotify Connect / Google Cast / Apple AirPlay	•/•/•
Roon tested Multiroom audio support	<u> </u>
Multichannel home cinema support	·
Connectivity and interfaces	
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•
USB	1 x USB 2.0 (MP3 only)
Bluetooth WLAN (Wi-Fi) integrated	•
Wireless Digital Audiolink (second generation)	·
Optical TOSLINK	•
AV receiver analog pre-amp cinch out 5.1 / 3.1 / 2.1 / 2.0	●/●/●/●
Analogue audio jack in (3.5 mm stereo) Wall mount	
Network and formats	IEEE 000 11- /b /c /c /c-
WLAN (Wi-Fi) standard WLAN (Wi-Fi) power (max. mW)	IEEE 802.11a/b/g/n/ac <100mW @2400-2485 MHz
TEXT (TITT) porter (Tital Titt)	<200mW @5150-5250 MHz
	<100mW @5250-5350 MHz
	<100mW @5470-5725 MHz
WLAN (Wi-Fi) encryption	< 25mW @5725-5875 MHz (SRD)  WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard	5.0 + EDR
Bluetooth power (max. mW)	<10 2.4 GHz
Bluetooth frequency range Bluetooth protocols	AZDP SNK, AVRCP
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolby Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atmos
	Dolby Atmos Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO
Supported video formats	4K Video Pass-Through, Dolby Vision, HDR10, HDR10+
Energy and environment	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)  Power consumption multiroom sleep mode (watts)	
Ambient temperature while in operation	5-35° C
Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg)	5,9
W* x H x D (approx. cm)	95,0 x 7,1 x 16,0
Scope of Delivery	
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)
Manual / power cord	UDMIbi-
Others	HDMI cable
Optional accessories	

• = available, • = optional, — = not available

72 —

Selection of recommended setup solutions and audio systems

#### Technical data

Loewe klang sub1

5 41.10.0.10	40.400	
Frequency range (Hz) @ ±3 dB	40-100	
Orientation front / side / up / rear firing	radial (motion compensation)	
Acoustic speaker concept	closed + passive membranes	
Channel configuration (speaker layout)	0.1 (subwoofer)	
Driver total amount	6	
Driver active	2x 4"	
Driver passive	4x 4"	
2-channel crossover	• low pass	
Audio (electric)		
Frequency range (Hz) @ ±1 dB	40-100	
Class-D amp		
Power (watts sine / music)	80 / 160	
Total harmonic distortion @ 1 watt /10 watts	< 0,5	
Dynamic range / Signal to noise ratio (dB)	24 bit / > 80	
Bass and treble control / loudness	(gain adjustment) / —	
Balance / gain adjustment (dB)	— / ● (via volume knob)	
Protection circuit: heat / current / voltage / short cut	•/•/•/•	
Media and receiption		
Multiroom audio support	_	
Multichannel home cinema support	• (stereo + sub)	
Connectivity and interfaces		
Bluetooth	(aptX Low Latency)	
Wireless Digital Audiolink (second generation)	_	
Analogue audio jack in (3.5 mm stereo)	•	
Network and formats		
Bluetooth standard	5.0	
Bluetooth power (max. mW)	<10	
Bluetooth frequency range	2,4 GHz	
Bluetooth protocols	A2DP SNK, AVRCP	
Energy and environment		
Mains voltages AC	100-240V, 50/60 Hz	
Power consumption eco standby mode (watts)	0,5	
Power consumption network standby mode (watts)		
Ambient temperature while in operation	5-35° C	
Relative humidity (non-condensing)	20-80%	
inelative numurity (non-condensing)	20-60 /0	
Dimensions		
Weight (approx. kg)	4,6	·
W* x H x D (approx. cm)	28,7 x 15,8 x 28,7	
Scope of Delivery		
Manual / power cord	•/•	
Others	transmitter	
Optional accessories		
Selection of recommended setup solutions and audio systems	bild v, bild i, bild c, We. SEE	

• = available, • = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

bild i, floor stand flex, spacer table stand v, spacer table stand i, wall mount klang bar, klang mr3, klang mr3, klang mr1, klang sub5

**—** 73

Loewe multi.room amp

udio (acoustic)	
Channel configuration (speaker layout)	2.0 (stereo)
l-channel crossover	• (var. level, var. frequency)
audio (electric)	
requency range (Hz) @ ±1 dB	20-20.000
Class-D amp	(min. speaker impedance 4Ω)
Power (watts sine / music)	300 / 600 @ 8Ω, 600 / 1.200 @ 4Ω
otal harmonic distortion @ 1 watt /10 watts	< 0,05 / < 0,05
Dynamic range / Signal to noise ratio (dB) Damping factor of power stage (dB)	24 bit />100 >50
Scalable output power / limiter / custom tuning	<u> </u>
Bass and treble control / loudness	• (remote) / —
Balance / gain adjustment (dB)	<ul><li>✓ • (subwoofer)</li></ul>
Mono mix function	•
Protection circuit: heat / current / voltage / short cut Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	
OTS HD / DTS:X	via klang bar mr
101107 013.X	via Nang Dai IIII
Operation	
Display technology	White LED + Color LED (dimmable)
Screen resolution (pixels)	LED line
Gcreen diagonal (cm / inch)	6,5 / 2,5
Smart apps (all: Android + iOS)	DTS Play-Fi, my Loewe app
/oice control by Alexa skills	• (DTC Diay E)
Software update (via USB / Internet)	●/●(DTS Play-Fi)
Media and receiption	
JSB music player	•
Bluetooth music player	<del>`</del>
nternet radio	• (via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	•/•
Spotify Connect / Google Cast / Apple AirPlay	•/•/•
Roon tested	•
Multiroom audio support Multichannel home cinema support	• (front / rear surround)
таконалне потпе опетна зиррог с	• (IIOIIL7 leal sulloullu)
Connectivity and Interfaces	
HDMI	(PCM audio only)
HDCP 2.2 / HDMI-CEC / ARC / eARC	-/•/•/-
JSB	1 x USB 2.0 (MP3 only)
Bluetooth	•
VLAN (Wi-Fi) integrated	•
AN network connection	2 x RJ45 (daisy chain)
Wireless Digital Audiolink (second generation)	
W receiver analog pre-amp cinch out 5.1 / 3.1 / 2.1 / 2.0 Analogue audio cinch in / out (stereo)	— / − / • / • (gold plated)  • / • (gold plated)
Speaker terminals / banana plugs (stereo)	● / ● (gold plated)  • / ● (gold plated)
Vall mount	• (integrated)
Network and formats	
VLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac
VLAN (Wi-Fi) power (max. mW)	<100mW @2400-2485 MHz
	<200mW @5150-5250 MHz
	<100mW @5250-5350 MHz
	<100mW @5470-5725 MHz
WLAN (Wi-Fi) encryption	< 25mW @5725-5875 MHz (SRD)  WEP 64, 128 Bit (ASCII, HEX)
VLAN (Wi-Fi) encryption VLAN (Wi-Fi) encryption WPA	WEP 64, 128 BIT (ASCII, HEX)  WPA PSK, WPA2 AES, WPS
Ruetooth standard	5.0
Bluetooth power (max. mW)	<10
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Supported audio formats	PCM, MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res AUDIO
Supported video formats	
nergy and environment	
Mains voltages AC	220-240V, 50/60 Hz
Power consumption eco standby mode (watts)	0,5
Power consumption network standby mode (watts)	
Power consumption multiroom sleep mode (watts) Ambient temperature while in operation	5 5-40° C
Relative humidity (non-condensing)	20-90%
Dimensions	
Aains voltages AC	2,2
Power consumption standby / network standby (watts)	21,7 x 7,9 x 21,7
Scope of Delivery	
	Loewe remote mr (2x CR2032)
Remote control (incl. batteries)	
Manual / power cord	● / ● HDML cable Ouick start guide
	●/● HDMI cable, Quick start guide

• = available, • = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually. All product and company names are trademarks<sup>™</sup> or registeredR trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Google and Chromecast built-in are trademarks of Google LLC.

#### Technical data

Loewe klang	mr5	mr3	mr1
Audio (acoustic)			
Frequency range (Hz) @ ±3 dB	35-20.000	40-20.000	55-20.000
Orientation front / side / up / rear firing	•/•/-/•	●/●/─/●	•/-/-
Acoustic speaker concept	closed + passive membranes	closed + passive membranes	closed
Channel configuration (speaker layout)	1.0 (mono)	1.0 (mono)	1.0 (mono, rear surround)
Driver total amount	9	6	1
Driver active	3x 3/4", 3x 2,5", 1x 5"	3x 2", 1x 3,5" + 2x 3,5"	1x 3"
Driver passive	2x 5"	2x 3,5"	
2-channel crossover	• active	• active	
Audio (electric)			
Frequency range (Hz) @ ±1 dB	20-20.000	20-20.000	20-20.000
Class-D amp	_ <del>•</del>	•	•
Power (watts sine / music)	90 / 180	75 / 150	15 / 30
Total harmonic distortion @ 1 watt /10 watts	< 0,3 / < 0,3	<0,3/<0,3	<0,3/<0,3
Dynamic range / Signal to noise ratio (dB)	24 bit / > 80	24 bit / > 80	24 bit / > 80
Bass and treble control / loudness	(remote) / dynamic	(remote) / dynamic	• (remote) / dynamic
Protection circuit: heat / current / voltage / short cut	•/•/•/•	•/•/•/•	•/•/•/•
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	via klang bar mr	via klang bar mr	via klang bar mr
DTS HD / DTS:X	via klang bar mr	via klang bar mr	via klang bar mr
Operation and apps			
	White LED + Color LED	White LED + Color LED	White LED + Color LED
Display technology		White LED + Color LED	White LED + Color LED
Screen resolution (pixels)	5x dot + 1x line	5x dot + 1x line	5x dot + 1x line
Screen diagonal (cm / inch)	6/2,4 • (DTS Play Figure	6/2,4	6/2,4 • (DTS Play Figure
my Loewe app / smart apps (all: Android + iOS)	• / DTS Play-Fi app	• / DTS Play-Fi app	• / DTS Play-Fi app
Voice control by Alexa skills Software update (via USB / Internet)	• / • (DTS Play-Fi)	•	• • / • (DTS Play-Fi)
Software update (via USB / Internet)	● / ● (DTS Play-FI)	● / ● (DTS Play-FI)	●/ ●(DTS Play-FI)
Media and receiption			
USB music player	•	•	•
Bluetooth music player	•	•	•
Internet radio	(via DTS Play-Fi app)	(via DTS Play-Fi app)	(via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	•/•	•/•	•/•
Spotify Connect / Google Cast / Apple AirPlay	•/•/•	•/•/•	•/•/•
Roon tested	•	•	•
Multiroom audio support	•	•	•
Multichannel home cinema support	•	•	•
Connectivity and interfaces			
USB	1LICD 2.0.(CW=d=t=)	1 LICD 2.0 (CW)	1UCD 2.0 (CW= d-t-)
USB Bluetooth	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)
	- <del>•</del>	•	•
WLAN (Wi-Fi) integrated  LAN network connection	_ <u>•</u>	•	•
Wireless Digital Audiolink (second generation)	_	•	•
Analogue audio jack in (3.5 mm stereo)	- <del>•</del>	•	•
Wall mount	_ •	· <u>-</u>	•
	<del>_</del>	- <del>-</del>	<u> </u>
Network and formats			
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac	IEEE 802.11a/b/g/n/ac	IEEE 802.11a/b/g/n/ac
WLAN (Wi-Fi) power (max. mW)	<100mW @2400-2483,5 MHz	<100mW @2400-2483,5 MHz	<100mW @2400-2483,5 MHz
	<100mW @5150-5350 MHz	<100mW @5150-5350 MHz	<100mW @5150-5350 MHz
	<100mW @5470-5725 MHz	<100mW @5470-5725 MHz	<100mW @5470-5725 MHz
	<25mW @5725-5850 MHz	<25mW @5725-5850 MHz	<25mW @5725-5850 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2	4.2	4.2
Bluetooth power (max. mW)	<10	<10	<10
Bluetooth frequency range	2,4 GHz	2,4 GHz	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP	A2DP SNK, AVRCP	A2DP SNK, AVRCP
Supported audio formats	MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res AUDIO	MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res AUDIO	MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res AU
Energy and environment			
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	0,3	0,3	0,3
Power consumption multiroom sleep mode (watts)		- <del>6</del>	6
Ambient temperature while in operation		5-35° C	5-35° C
Relative humidity (non-condensing)	20-80%	20-80%	20-80%
		-	
Dimensions			
Weight (approx. kg)	4,5	3,2	1,4
Mt v H v D (approv. am)	22,5 x 40,1 x 21,5	19,6 x 32,1 x 18,7	16,0 x 18,8 x 15,4
W* x H x D (approx. cm)			
Scope of Delivery			
Scope of Delivery	•/•	•/•	•/•
	•/• -	•/• -	

• = available, • = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

<del>--- 75</del>

Loewe klang	s3	s1
Audio (acoustic)		
Frequency range (ca. Hz) @ ±3 dB	50-20.000	70-20.000
Orientation front / side / up / rear firing	•/-/-	•/-/-
Acoustic speaker concept	bass reflex	bass reflex
Channel configuration (speaker layout)	2.0 (stereo)	2.0 (stereo)
Driver total amount	4	4
Driver active	2x 32mm, 2x 3"	2x 32mm, 2x 3"
2-channel crossover		•
Audio (electric)		
Frequency range (ca. Hz) @ ±1 dB	20-20.000	20-20.000
Class-D amp	•	•
Power (ca. watts sine / music)	60 / 120	40 / 80
Bass and treble control / loudness	(remote) / dynamic	(remote) / dynamic
Operation and apps		
Display technology	LCD + LED	LCD + LED
Screen resolution (pixels)	320 x 240	320 x 240
Screen diagonal (cm / inch)	8.1/3.2	8,1/3,2
Software update (via USB / Internet)		
Media and receiption	, -	
CD player	• (12 cm compact disc)	
ор player USB music player	(12 cm compact disc)	- <u>-</u>
Bluetooth music player	— <del>:</del>	•
UKW radio (analog FM) / mono / stereo / RDS	<u>87,5 - 108,0 ● / ● / ●</u>	87,5 - 108,0 • / • / •
DAB band III (MHz) / DAB / DAB+ / EWF	174,9 - 239,2 • / • /—	174,9 - 239,2 • / • /—
Internet radio		1/4,5 - 235,2 • / • / —
Spotify Connect / Google Cast / Apple AirPlay	<u>•/-/-</u>	•/-/-
	<b>▼</b> / — / —	<b>♥</b> / /─
Connectivity and interfaces USB	1 x USB 2.0	1 x USB 2.0
USB Bluetooth	1 X USB 2.0	1X USB 2.U
		· •
WLAN (Wi-Fi) integrated Antenna IEC	•	-
	<u> </u>	<del>-</del>
Network and formats		
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n	IEEE 802.11a/b/g/n
WLAN (Wi-Fi) power (mW)	<100	<100
WLAN (Wi-Fi) frequency range	2412-2472 / 5180-5700 MHz	2412-2472 / 5180-5700 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2	4.2
Bluetooth power (mW)	<10	<10
Bluetooth frequency range	2400-2483,5 MHz	2400-2483,5 MHz
Bluetooth protocols	A2DP SNK, AVRCP MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, CD-DA, CD-R, CD-RW	A2DP SNK, AVRCP
Supported audio formats	MES, AAU, AAU+, M4A, WAV, FLAU, MUM, UU-DA, CD-R, CD-RW	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM
Energy and environment		
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption standby mode (watts)	0,8	0,7
Power consumption network standby mode (watts)	1,0	1,0
Ambient temperature while in operation	5-35° C	5-35° C
Relative humidity (non-condensing)	20-80%	20-80%
Dimensions		
Weight (approx. kg)	5,1	3,3
W* x H x D (approx. cm)	46,0 x 16,0 x 9,0	33,5 x 12,0 x 9,0
Scope of Delivery		
Remote control (incl. batteries)	Loewe remote klang s (2x CR2032)	Loewe remote klang s (2x CR2032)
Manual / power cord	•/•	•/•

• = available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required.

#### Technical data

Loewe klang radio.frequency

Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	80-20.000
Orientation front / side / up / rear firing	•/-/-
Acoustic speaker concept	closed + passive membrane
Channel configuration (speaker layout)	2.0 (stereo)
Driver total amount	3
Driver active	2x 2,5"
2-channel crossover	•
Audio (electric)	
requency range (Hz) @ ±1 dB	20-20.000
Class-D amp	•
Power (watts sine / music)	14 / 28
Bass and treble control / loudness	(EQ settings)
Operation and apps	
Display technology	LCD (dimmable)
Screen resolution (pixels)	multi segment
Screen diagonal (cm / inch)	7,0 / 2,7
my Loewe app / smart apps (all: Android + iOS)	•/-
Media and receiption	
Bluetooth music player	•
UKW radio (analog FM) / mono / stereo / RDS	87,5 - 108,0 / ♦ / ♦ / ♦
DAB band III (MHz) / DAB / DAB+	174,9 - 239,2 / • / •
Connectivity and Interfaces	
USB	1 x USB-C (charge)
Bluetooth	•
Headphone out	•
Antenna IEC	• (fixed telescope)
Kensington anti theft lock	•
Network and formats	
Bluetooth standard	5.0
Bluetooth power (max. mW)	
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Mobility	
Battery type	7,4V / 2200mAh
Charging current	9V, 2A
Charging time	3h
Playing time	12-14h @ 60dB
Energy and environment	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	1,01
Ambient temperature while in operation	5-40° C
Relative humidity (non-condensing)	35-90%
Dimensions	
Weight (approx. kg)	1,2
W* x H x D (approx. cm)	21,1 x 13,2 x 6,8
Scope of Delivery	
Manual / power cord	• / USB-C cable (90 cm)
Others	USB-C power adapter (EU, UK, AUS)

ullet = available, ullet = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually. All product and company names are trademarks<sup>™</sup> or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

**—** 77

76 —

<sup>1)</sup> original power supply

We. HEAR pro

#### We. HEAR pro by Kylian Mbappé

	50.00.000
Frequency range (ca. Hz) @ ±3 dB	50-20.000
Orientation front / side	• / •
Acoustic speaker concept	closed + passive membrane
Channel configuration (speaker layout)	2.0 (stereo)
Driver total amount	6
Driver active	2x 2,75", 2x 1"
Driver passive	2
2-channel crossover	•
Audio (electric)	
Frequency range (Hz) @ ±1 dB	20-20.000
Class-D amp	•
Power (watts sine / music)	50 / 100
Bass and treble control	•
Connectivity and Interfaces	
USB	1 x USB-C (charge)
Bluetooth	•
True wireless stereo (TWS) / multi pairing (TWMP)	-/ •
Microphone	• (hands-free phone)
Analogue audio jack in (3.5 mm stereo)	•
Network and formats	
Bluetooth standard	5.3
Bluetooth power (max. mW)	<13
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP, AVRCP, AAC
Mobility	
Battery type	7,2V, 5100mAh
Charging current	min. 5V. 2A - max. 20V. 1.5A
Charging time (ca.)	min. 2h @ max. 30W
Playing time (ca.)	typ. 24h
Water protection	IPX6
Ambient temperature while in operation	0-40° C
Relative humidity (non-condensing)	20-70%
Dimensions	
Weight (ca. kg)	2,2
W* x H x D (ca. cm)	28,0 x 13,8 x 13,5
Scope of Delivery	
Manual / power cord	• / USB-C cable
Others	Shoulder strap incl. buttons
Optional accessories	
	We. HEAR pro as additional speakers for true wireless multi pairing (TWMP) USB-C PD power supply (30W)

<sup>• =</sup> available, • = optional, — = not available

78 —

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

**Technical data** 

We. BOOST We. BOOST

Ton (akustisch)	
requenzbereich (ca. Hz) @ ±3 dB	sub: 43-120 & sat: 120-20.000
Max. Schalldruckpegel (ca. dB SPL) @ 1m, pink noise, max. vol.	97
Ausrichtung nach vorne / seitlich / oben / hinten	• / • / • / •
Akustisches Lautsprecherkonzept	bass reflex
Kanalkonfiguration	4.1.2
Anzahl der Treiber	13
reiber aktiv	4x 3,5" + 4x 1,5" + 4x 2" + 6,5" woofer
2-Kanal Weiche	•
on (elektrisch)	
requenzbereich (ca. Hz) @ ±1 dB	20-20.000
Class-D Amp	
•	
eistung (ca. Watt Sinus / Musik)	sub: 120 / 240 & sat: 30 + 30 / 60 + 60
lirrfaktor ca. @ 1 Watt / 10 Watt	< 0,2 % @ max. volume
ynamikbereich / Rauschabstand (dB)	sub: 73 dB, sat: 86 dB
ass- und Höhenregelung / Nacht-Modus	• / •
bstandseinstellung (m)	•
lalance- / Pegel-Einstellung (ca. dB)	•
ual-Stereo-Modus	
olby Audio / Digital / Digital Plus / Atmos	•/•/•/•
edienung und Apps	
Displaytechnologie	OLED (bi-directional BLE remote)
ny Loewe App / Smart Apps (alle: Android + iOS)	• / -
oftware Update (via USB / Internet)	• / -
Inschlüsse und Schnittstellen	
IDMI	
IDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•
ISB	•
Bluetooth	BLE (incl. bi-directional remote)
nalog Audio Klinke In (3,5 mm Stereo)	· · ·
Center Speaker-Ausgang (2,5 mm Mono)	
Stativschraubgewinde	• (M5)
Vandhalter	<del>(MS)</del>
letzwerk und Formate	
Bluetooth Standard	dongle: 5.4
Bluetooth Leistung (mW)	<10
Bluetooth Frequenzbereich	2400-2483.5 MHz
Sluetooth Protokolle	A2DP, AVCTP, AVRCP, HFP
Interstützte Audioformate	
interstutzte Audiotormate	PCM, Dolby True HD, Dolby Audio, Dolby Digital, Dolby Digital Plus, Dolby Atmos, Dolby Atmos Music
nergie und Umwelt	
letzspannung AC	100-240V, 50/60 Hz
eistungsaufnahme im Standby Mode (Watt)	0,5
ulässige Umgebungstemperatur im Betrieb	<del>0.4</del> 5° C
	20-90%
lelative Luftfeuchte (nicht kondensierend)	20-90%
bmessungen	
Sewicht (ca. kg)	sub: 6.2 & sat: 1.5
* x H x T (ca. cm)	sub: 23,9 x 38,7 x 23,9 & sat: 12,0 x 20,1 x 12,0
ieferumfang	
ernbedienung (inkl. Batterien)	Bluetooth (BLE) bi-directional, incl. OLED display
nleitung / Netzkabel	• / • (5)
onstige Kabel	USB adapter (A > C), USB splitter (1x A > 2x C), HDMI extension
Sonstiges	4x wall mount
Optionales Zubehör	
-	Laura stallan 40 CE day Laura inspira 40 CE day Laura sallas 20 40
uswahl empfohlener Display-Lösungen	Loewe stellar 42-65 dr+, Loewe inspire 48-65 dr+, Loewe callas 32-43
	We. SEE oled 48-65, We. SEE Icd 32-43, We. BEAM
Besonderheiten	Smarte bi-direktionale Fernbedienung mit Bluetooth Low Energy (BLE) und OLED Matrix-Display. Option
	individuelle Optimierung des Systems: Distanz der Lautsprecher zum Hörplatz und Einstellung der Peg
	mit Rauschsignal. Anzeige der Werte in der Fernbedienung. Center-Out für separaten Center-Lautspred

<sup>• =</sup> available, • = optional, — = not available

Technische Änderungen, Liefermöglichkeiten, Irrtümer sowie Preisänderungen bleiben vorbehalten. Alle Produkt- und Firmennamen sind Marken™ oder eingetragene® Marken der jeweiligen Inhaber. Ihre Verwendung impliziert keine Zugehörigkeit zu diesen Unternehmen oder deren Befürwortung. Digitale Dienste und Inhalte (z.B. Apps) sowie Serverplattformen werden von Dritten bereitgestellt. Erhältlich zum Download im App Store. Nutzungsbedingungen des Dritten auf dem Gerät beachten. Die Bereitstellung, Verfügbarkeit (auch in bestimmten Gebieten), Aktualisierung und Ende der Zurverfügungstellung dieser digitalen Inhalte und Dienste auf dem Gerät sind aussschließlich der Entscheidung des Dritten vorbehalten. Einige Dienste sind zum Zeitpunkt des Kaufs dieses Produkts möglicherweise noch nicht verfügbar. Internetzugang erforderlich. Separate (zahlungspflichtige) Abonnements und/oder Mitgliedschaft erforderlich. Ultra HD- und HDR-Verfügbarkeit abhängig von Abonnementplan, Internetdienst, Gerätefunktionen und Verfügbarkeit von Inhalten.

### Our way to sustainability.

We are committed to producing beautifully designed, highly functional, modern and timeless objects. By selecting the finest, highest-quality materials, Loewe creates sustainable products with careful precision work that impress with energy efficiency, software updates and years of reparability, thus underscoring our sustainability concept.



### The Loewe service promise.

For Loewe, service does not end with the purchase: customers can rely on comprehensive service solutions at all times. Our detailed online based FAQ will help you with short questions anytime. Since sustainability is a big part of Loewe's DNA, Loewe's own technical repair shop is able to repair products up to ten years of age - depending on the model and the fault of the unit. A deliberately generous stock of spare parts makes it possible. In addition regular software updates keep Loewe products state-of-theart technology.

# We will be happy to help you. helpline@loewe.de


### LOEWE.

### LOEWE.



#### **Loewe Technology GmbH**

Industriestraße 11 96317 Kronach Germany Subject to technical modifications, delivery options, errors, and price changes. Furthermore, additional service offerings will be provided and billed on an individual basis.



Loewe 02/2025 99.006.796