



Loewe **inicio**

Highend speaker

Passive loudspeaker with a unique design and finish

Purifi USHINDI driver with ultra low distortion for crystal-clear sound

Air motion transformer and neodymium magnets for precise and dynamic reproduction

Support of bi-wiring and bi-amping for enhanced flexibility

Aluminium waveguide with magnetic speaker cover for easy removal

Massive aluminium stand with innovative decoupling technology

LOEWE. was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923.
Today we still design, develop and produce consumer electronics – Made in Germany.

Data sheet
Loewe **inicio**
April 2026

LOEWE.
Home of Excellence.

www.loewe.tv



Loewe inicio

Highend speaker



Finest aesthetics and craftsmanship.

Introducing our high-end passive speaker, where art meets engineering. Available in a stunning fractal walnut wood front or white matt, this speaker is not just a sound system - it's a statement piece that enhances any space. Elevate your home decor while indulging in extraordinary sound quality.



Precision engineering for exceptional sound.

Experience sound like never before with the Purifi USHINDI speaker driver. Featuring Ultra Low Distortion Transducer Technology, this driver virtually eliminates distortion and delivers unparalleled sound clarity. The innovative PURIFI NeutralSurround technology ensures a smooth response, while the PermanentCore design creates a grain-free backdrop for your music, allowing you to hear every detail as the artist intended.



Dynamic audio performance.

Feel the power of sound with our Air Motion Transformer (AMT) and robust neodymium magnets. These advanced technologies deliver precise, dynamic audio that immerses you in your favorite music, movies, and games. Prepare to be captivated by the depth and detail of your audio experience.



Innovative design for enhanced sound.

The solid aluminum stand incorporates cutting-edge decoupling technology, ensuring that your speaker delivers the purest sound possible. This design not only enhances audio performance but also provides a stylish and stable base for your listening enjoyment.



Versatile connectivity options.

Unlock your audio system's full potential with our bi-wiring and bi-amping capabilities. Tailor your setup to suit your listening preferences and achieve enhanced performance with flexible connectivity options that adapt to your unique sound needs.



Convenient maintenance with style.

Enjoy easy access to your speakers with the magnetic cover that allows for quick removal. This thoughtful design not only simplifies maintenance but also enhances the aesthetic appeal of your speaker, allowing you to showcase the beauty of the craftsmanship underneath.

Loewe **inicio**

Highend speaker

Achievements



“Gorgeous in appearance, well thought out down to the last detail and with a sound that is almost overwhelmingly atmospheric and controlled - the grand inicio is a more than promising debut from Loewe.”

FIDELITY magazine, March/April 2026, about Loewe grand inicio



“The drivers from Purifi Audio are at the heart of the speakers’ sound, while extravagant details on the outside fulfil Loewe’s high design ethos.”

AUDIO stereoplay magazine, 3/2025, about Loewe grand inicio



With the Grand Inicio, Loewe impressively demonstrates that its move into the high-end hi-fi market is more than just an ambitious attempt - it promises to be a complete success. The speakers combine outstanding sound quality with stylish design and surprising suitability for everyday use. Particularly impressive is their ability to immediately impress with perfect sound, even in difficult rooms. Loewe proves that hi-fi is not just technology for them, but a real passion.

AUDIO TEST magazine & www.likehifi.de, April 2026, about Loewe inicio and Loewe grand inicio

Test result: 96%

Category: Top Class

Rating: Reference Class

Loewe inicio

Highend speaker

Speaker size

grand inicio
stand speaker

[]

inicio
shelve speaker

[]

Configuration

stereo pair

[]

multi channel
(please specify number)

Main colour




grand inicio:
fractal walnut + titanium

[]




inicio:
walnut + titanium

[]



white + titanium

[]



linear white + titanium

[]

Speaker cover



black

System components

multi.room amp

[]

Loewe multi.room amp

Stereo amplifier for multiroom and homecinema installations with 1.200 watts total music power

Colour

 black



Model

multi.room amp

Article

61600

Loewe **inicio**

Highend speaker

Additional information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you:
Monday to Friday 09:00 – 17:00 o'clock
ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Loewe inicio

Highend speaker

Technical data

Loewe inicio	grand inicio	inicio
Audio (acoustic)		
Frequency range (ca. Hz) @ ±3 dB	35-22.000	45-22.000
Sensitivity (dB SPL) 2,83V @ 1m	89	86
Power handling (watt)	400 @ 4Ω	200 @ 4Ω
Orientation front / side / up / rear firing	● / — / — / —	● / ● / — / —
Acoustic speaker concept	bass reflex	closed
Channel configuration	2.0 (stereo pair)	2.0 (stereo pair)
Driver total amount	3	4
Driver active	1x AMT phase-neutral, 2x 6,5"	1x AMT phase-neutral, 1x 4"
Driver passive	—	2x 4"
2-channel crossover	● @ 2.300 Hz	● @ 2.900 Hz
Connectivity and interfaces		
Speaker terminals (stereo)	●	●
Banana plugs (stereo)	●	●
Gold plated interfaces	●	●
Bi-wiring	○	○
Energy and environment		
Ambient temperature while in operation	5-40° C	5-40° C
Relative humidity (non-condensing)	35-90%	35-90%
Dimensions		
Weight (ca. kg)	33,5	7,5
W* x H x D (ca. cm)	26,0 x 135,0 x 30,0	18,5 x 30,0 x 27,5
Scope of Delivery		
Manual	●	●
Other cable	Bridge wire	Bridge wire
Others	Stand, spikes, leveler, speaker cover	Speaker cover
Optional accessories		
Recommended audio system	multi.room amp	multi.room amp
Specials	AMT: phase-neutral Air Motion Transformer	AMT: phase-neutral Air Motion Transformer
	Powerful neodymium magnets	Powerful neodymium magnets
	Massive aluminium wave guide	Massive aluminium wave guide
	Large but lightweight and stiff alloy membranes	Lightweight and stiff alloy membrane
	Four-layer, copper-plated alloy coil with 39 mm diameter	Four-layer, copper-plated alloy coil with 30 mm diameter
	Glass fibre reinforced carrier	Glass fibre reinforced carrier
	Ultralinear positive and negative excursion	Ultralinear positive and negative excursion
	Neutral speaker bead geometry	Neutral speaker bead geometry
	Ventilated die-cast basket	Ventilated die-cast basket
	Screw sockets for spikes, pucks or stand	Screw sockets for spikes, pucks or fixing plate

● = available, ○ = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party.