



Loewe **stellar**

The craft design smart display from Germany

High performance OLED modules designed, engineered and tailored by Loewe in Kronach

Smart display with craft design, engineering and quality Made in Germany

Full support of HDMI 2.1 and Ultra HD @ 144 Hz VRR for high-speed gaming

Rich variety of smart streaming apps and VOD services with Vidaa OS

Powerful integrated sound bar for superior audio performance

Optional ultra-slim wall mount or motorized floor stand

Sophisticated design with real materials and magic moments of light and motion



LOEWE. was established by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923.

Today we still design, develop and produce consumer electronics – Made in Germany.

Data sheet
Loewe **stellar** smart display
February 2026

LOEWE.
Home of Excellence.

www.loewe.tv     

Loewe stellar

The craft design smart display from Germany



Home-made OLED modules

The latest generation and technology of OLED open cells with master black polarizer offer highest brightness and unparalleled motion picture performance in Ultra HD resolution.

The OLED modules are designed, engineered and tailored by Loewe in Kronach with alu-compound back-forming, massive alu frame and real concrete or aluminum back-cover.

Pre-calibrated in our factory and supporting Dolby Vision IQ, these displays meet all relevant filmmaker picture and colour standards for a perfectly natural and impressive reproduction of movies, VOD streaming and games.



Integrated sound bar and magic.light

Behind a high-gloss black spray-painted metal loudspeaker grill or special acoustic fabric in matt black, an impressive soundbar from 80 up to 300 watts fires directly to the front.

Framed in perfect harmony with the Loewe signature ring and the Loewe magic.light - for a discretely welcome and farewell animation or an atmospheric illumination during movie watching.

Simply adjust it as desired in any colour of the rainbow, at different brightness and saturation levels, by the touch of a button on the Loewe stellar remote.

The dedicated Center-Input allows to apply Loewe stellar 77-97 as the important Center-Speaker in a multi channel home cinema environment.



Vidaa OS

Loewe os9 based on Vidaa is a most convenient and fast smart operating system. The app store offers a curated selection of smart apps and a rich variety of video-on-demand services, including e.g. Netflix, YouTube, Apple tv+, Disney+ and more.

The system is also compatible with advanced networking features: The support of broad-used dlna, Miracast and Apple AirPlay allow comfortable content sharing and control via the home network.

Flexible connectivity with HDMI 2.1 inputs including Ultra HD @ 144 Hz VRR ensures full support of latest game consoles.



Design craftsmanship

Sophisticated craft design and clever construction details from the in-house Loewe design and innovation studio.

Created with selected real materials like a four-sided brushed full aluminum frame in a diamond-cut shape, real glas-fiber enforced concrete or aluminum on the back panel and a rotatable table stand made of massive aluminum with a fine hairline-brushed finish. The real concrete back-cover gives each set its unique fingerprint.

All connections are hidden, and all cables are well guided and hidden by the integrated cable management plus cable covers in the light grey rear cabinet. The solid VESA bolts support any mounting solution.



Cloud gaming, art mode and more

With Vidaa's cloud-gaming zone featuring, Blacknut and Boosteroid as well as a complete integration of game console controllers, the system lifts your gaming experience to a whole new level.

Vidaa's art mode, kids mode and AI recommendation offered by advanced cloud based services offer even greater choice for your personal home entertainment. Turn your living space into a captivating art gallery or enjoy peace of mind with the dedicated kids & family section featuring child-friendly content.



Sophisticated setup solutions

The Loewe magic.motion feature rotates the set on the motorized optional Loewe floor stand motor stellar by a touch of a button on the Loewe remote stellar up to 45° left or right - absolutely silently and smooth.

Of course the floor stand is also made of massive aluminum with a fine hairline-brushed finish. The optional floor2ceiling stand creates a spectacular free-floating 360° presentation.

The optional or in stellar 77-97 already integrated Loewe wall mount stellar allows an impressive display presentation closely attached to the wall.

Loewe stellar

The craft design smart display from Germany

Achievements*



“The model stellar shines with latest display technology, powerful hardware and new design language which lift an OLED in new dimension.”

International Forum Design, Spring 2024, about Loewe stellar
iF DESIGN AWARD 2024



reddot winner 2024

“The Loewe stellar is an OLED that, thanks to the modular construction of its display module, offers a multitude of possibilities for material combinations.”

Red Dot, Spring 2024, about Loewe stellar
reddot winner 2024



“The Loewe stellar has an extraordinary extraordinary look with a perfect 360-degree design, consistent and unmistakable for all display sizes.”

audiovision magazine, edition 10/2024, about Loewe stellar
BEST DESIGN



“Their sophisticated design with selected materials and magical moments of light and motion make them visual highlights in any interior.”

Satvision magazine, edition 01/2025, about Loewe stellar
SATVISION DESIGN AWARD



“Forged for eternity: With the stellar, Loewe skilfully implements current technology trends: a powerful panel and an extraordinary housing design make this set a real design and technology statement.”

HDTV magazine, edition 1/2025, about Loewe stellar 65 dr+

Test result: OUTSTANDING

Ratings: Highlight | Home Cinema Tip | Gaming Tip | Design Innovation



“If you don't want just any random set in your home and you have a preference for something special, for extravagant design and for modern technology, the stellar models have it all.”

Euronics Trendblog, 10.02.2025, about Loewe stellar

* predecessor model Loewe stellar dr+ (2024, EU model)

Loewe stellar

The craft design smart display from Germany

Achievements*



“From the conception of the design, to the development of hardware and software, construction, prototyping and final assembly of the stellar models all development steps happen at Loewe in Kronach.”

audiovision magazine, edition 10/2024, about Loewe stellar 65 dr+
BEST OLED



“The integrated, front-firing soundbar with 10 drivers, 80 watts of total music power and Dolby Atmos sits behind a high-gloss lacquered metal grill and ensures best speech intelligibility, a wide stereo stage and dynamic film sound.”

audiovision magazine, edition 10/2024, about Loewe stellar 65 dr+
BEST SOUND



“Loewe stellar is not only luxury in terms of its design, but also does its utmost technically to earn a place in the hall of fame of OLED legends.”

connect magazine, edition 01/2025, about Loewe stellar 65 dr+
Test result: OUTSTANDING



“In addition to the exterior, the excellent picture quality, in which the high peak brightness and perfect black level ensure a dynamic contrast display, as well as the features (...) are impressive.”

Satvision magazine, edition 02/2025, about Loewe stellar 55 dr+
Test result: VERY GOOD



“Made in Germany: The top model is perfectly finished. (...) Only the best is built into the Loewe stellar. (...) It delivers truly excellent pictures. (...) The high price is justified by top marks in all categories.”

Guter Rat magazine, edition 02/2025, about Loewe stellar 55 dr+
Test result: VERY GOOD



“With the stellar 77 dr+, Loewe has launched a OLED set that is exceptional in many aspects and sets new audiovisual and quality standards.”

audiovision magazine, 03/2025, about stellar 77 dr+

Test result: VERY GOOD

Ratings: Highlight, Referenz



* predecessor model Loewe stellar dr+ (2024, EU model)

Loewe stellar

The craft design smart display from Germany

This product qualifies for ENERGY STAR in the "Standard mode" setting and this is the setting in which power savings will be achieved. Changing the Standard mode picture settings or enabling other features will increase power consumption that could exceed the limits necessary to qualify for ENERGY STAR rating. Refer to EnergyStar.gov for more information on Energy Star program.



Display

Loewe stellar 77-97

Scope of delivery includes set with integrated sound bar and wall mount

stellar 97: W* x H x PD / TD = 218,2 x 133,8 x 7,0 / 7,1



stellar 83: W* x H x PD / TD = 187,5 x 116,5 x 7,0 / 7,1

stellar 77: W* x H x PD / TD = 173,9 x 108,9 x 7,0 / 7,1

flat and tiltable mounting

- alu brushed + alu
- alu black + black

Model	Article
stellar 97	64468
stellar 83	64464
stellar 77	64459



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted Loewe clip, the width of the set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar**

The craft design smart display from Germany

Display

Loewe stellar 42-65

Scope of delivery includes set with integrated sound bar and table stand




stellar 65: W* x H x PD / TD = 146,8 x 94,0 x 4,7 / 27,5

stellar 55: W* x H x PD / TD = 124,9 x 81,7 x 4,7 / 27,5

stellar 48: W* x H x PD / TD = 109,3 x 72,9 x 4,7 / 19,5

stellar 42: W* x H x PD / TD = 95,8 x 65,4 x 4,7 / 19,5

table stand manually rotatable (+/- 45°), concealed cable routing

-  **alu brushed + concrete**
-  **alu black + lava**
-  **alu brushed + alu**

Model	Article
stellar 65	64456
stellar 55	64455
stellar 48	64454
stellar 42	64449



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted Loewe clip, the width of the set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar**

The craft design smart display from Germany

Setup solutions

Stand solutions

table stand motor stellar

stellar 83: W* x H x PD / TD = 187,5 x 122,7 x 7,0 / 41,0
stellar 77: W* x H x PD / TD = 173,9 x 115,2 x 7,0 / 41,0
motorized rotatable (+/- 45°), concealed cable routing

floor stand motor stellar

stellar 83: W* x H x PD / TD = 187,5 x 163,2 x 7,0 / 69,5
stellar 77: W* x H x PD / TD = 173,9 x 155,7 x 7,0 / 69,5
stellar 65: W* x H x PD / TD = 146,8 x 133,2 x 4,7 / 49,1
stellar 55: W* x H x PD / TD = 124,9 x 120,9 x 4,7 / 35,2
stellar 48: W* x H x PD / TD = 109,3 x 112,1 x 4,7 / 35,2
stellar 42: W* x H x PD / TD = 95,8 x 104,6 x 4,7 / 35,2
motorized rotatable (+/- 45°), concealed cable routing

floor2ceiling stand

stellar 65: W* x H x PD / TD = 146,8 x 220-290 x 4,7 / 15,6
stellar 55: W* x H x PD / TD = 124,9 x 220-290 x 4,7 / 15,6
stellar 48: W* x H x PD / TD = 109,3 x 220-290 x 4,7 / 15,6
stellar 42: W* x H x PD / TD = 95,8 x 220-290 x 4,7 / 15,6
manually rotatable (+/- 110°), concealed cable routing,
height adjustable (220-290 cm), direct mounting without adapter

floor stand flex

stellar 65: W* x H x PD / TD = 146,8 x 129,8 x 4,7 / 54,0
stellar 55: W* x H x PD / TD = 124,9 x 117,5 x 4,7 / 54,0
stellar 48: W* x H x PD / TD = 109,3 x 108,7 x 4,7 / 54,0
stellar 42: W* x H x PD / TD = 95,8 x 101,2 x 4,7 / 54,0
manually rotatable (+/- 45°), concealed cable routing,
with or without carrier for accessory tray or soundbar

floor stand universal

stellar 65: W* x H x PD / TD = 146,8 x 133,8 x 4,7 / 52,5
stellar 55: W* x H x PD / TD = 124,9 x 121,6 x 4,7 / 52,5
stellar 48: W* x H x PD / TD = 109,3 x 112,8 x 4,7 / 52,5
stellar 42: W* x H x PD / TD = 95,8 x 105,2 x 4,7 / 52,5
manually rotatable (+/- 45°), concealed cable routing



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted Loewe clip, the width of the set may increase by up to 1 cm, depending on the type of set.

Data sheet

Loewe **stellar** smart display

February 2026

Loewe **stellar**

The craft design smart display from Germany

Setup solutions

Wall solutions

wall mount stellar

stellar 65: W* x H x PD / TD = 146,8 x 88,8 x 4,7 / 6,5

stellar 55: W* x H x PD / TD = 124,9 x 76,5 x 4,7 / 6,5

stellar 48: W* x H x PD / TD = 109,3 x 67,7 x 4,7 / 6,5

stellar 42: W* x H x PD / TD = 95,8 x 60,2 x 4,7 / 6,5

flat and tiltable mounting

wall mount universal

stellar 65: W* x H x PD / TD = 146,8 x 88,8 x 4,7 / 9,0

stellar 55: W* x H x PD / TD = 124,9 x 76,5 x 4,7 / 9,0

stellar 48: W* x H x PD / TD = 109,3 x 67,7 x 4,7 / 9,0

stellar 42: W* x H x PD / TD = 95,8 x 60,2 x 4,7 / 9,0

tiltable mounting

wall mount slim 432

stellar 97: W* x H x PD / TD = 218,2 x 133,8 x 7,0 / 10,2

stellar 83: W* x H x PD / TD = 187,5 x 116,5 x 7,0 / 10,2

stellar 77: W* x H x PD / TD = 173,9 x 108,9 x 7,0 / 10,2




stellar 65: W* x H x PD / TD = 146,8 x 88,8 x 4,7 / 7,3

stellar 55: W* x H x PD / TD = 124,9 x 76,5 x 4,7 / 7,3

stellar 48: W* x H x PD / TD = 109,3 x 67,7 x 4,7 / 7,3

stellar 42: W* x H x PD / TD = 95,8 x 60,2 x 4,7 / 7,3

flat mounting



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted Loewe clip, the width of the set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar**


The craft design smart display from Germany

Additional information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you:
Monday to Friday 09:00 – 17:00 o'clock (German time)
ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical data

Loewe stellar

97 smart display

83 smart display

77 smart display

Design	97 smart display	83 smart display	77 smart display
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory
Colour variant	alu brushed + alu	alu brushed + alu	alu brushed + alu
Optional colour variant	alu black + black	alu black + black	alu black + black
Main materials applied	alu, glass	alu, glass	alu, glass
Individualization options (selection)	-	motorized setup solutions	motorized setup solutions
Prestigious Awards	-	iF Design, Red Dot	iF Design, Red Dot
Sustainable / regional resources and methods preferred	● / ●	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	○ / ○ / ○ / ○ / ○	○ / ○ / ○ / ○ / ○	○ / ○ / ○ / ○ / ○
Sound solutions: passive, active, stereo, multi channel\	○ / ○ / ○ / ○	○ / ○ / ○ / ○	○ / ○ / ○ / ○
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB), LGD oc, LTY module	OLED (WRGB), LGD oc, LTY module	OLED (WRGB), LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	245 / 97 / 1	210 / 83 / 1	195 / 77 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1100 / 120°	1100 / 120°	1500 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●	● / ● / ●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Audio			
Power (watts sine / music) / driver (active + passive)	2 x 75 / 2 x 150 / 6	2 x 75 / 2 x 150 / 6	2 x 75 / 2 x 150 / 6
Acoustic speaker concept	active bar + bass reflex	active bar + bass reflex	active bar + bass reflex
Front firing / down firing / 2-channel crossover	● / - / ●	● / - / ●	● / - / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps			
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart app	● / VIDAA Smart app	● / VIDAA Smart app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice	● / VIDAA Voice
Media player / dlna player / browser	● / ● / ●	● / ● / ●	● / ● / ●
TV Channel+ / VOD premium services / AI comfort features	● / ● / ●	● / ● / ●	● / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel Mode	● / ● / ●	● / ● / ●	● / ● / ●
Connectivity and interfaces			
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A
USB-C: number x power	2 x 1.0 A	2 x 1.0 A	2 x 1.0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in (Cinch L/R)	● / ●	● / ●	● / ●
Audio out control: fix / variable / sub (3.5 mm)	● / ● / ●	● / ● / ●	● / ● / ●
Loewe magic.light / magic.motion	● / ○ (via USB-A 2.0A)	● / ○ (via USB-A 2.0A)	● / ○ (via USB-A 2.0A)
Home automation / Control4 / Crestron	● (via IP) / ● / ●	● (via IP) / ● / ●	● (via IP) / ● / ●
Power socket	C17 (D type)	C17 (D type)	C17 (D type)
Energy			
Energy Star	●	●	●
Maximum brightness (cd/m2)	190	280	370
Screen contrast ratio (%)	1:1.500.000	1:2.000.000	1:2.000.000
Refresh rate (Hz)	120	144	144
Power consumption max. @ audio 1/8 volume (watts)	800	700	650
Power consumption standby / network standby (watts)	0,5 / 0,7	0,5 / 0,7	0,5 / 0,7
Mains voltages / power switch / off mode (watts)	110-240 V, 50/60 Hz / ● / 0,0	110-240 V, 50/60 Hz / ● / 0,0	110-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)			
Weight (ca. kg) excl. / incl. standard setup solution	67 / 68	52 / 53	49 / 50
W* x H x D (cm) without setup solution	218,2 x 133,8 x 7,0	187,5 x 116,5 x 7,0	173,3 x 108,9 x 7,0
W* x H x D (cm) incl. table stand	-	187,5 x 122,7 x 41,0	173,9 x 115,2 x 41,0
VESA support / Kensington lock	400 x 200 / -	400 x 200 / -	400 x 200 / -
Scope of delivery			
Speaker	integrated (active soundbar)	integrated (active soundbar)	integrated (active soundbar)
Setup Solution / rotate-able	integrated wall mount / fix	integrated wall mount / fix	integrated wall mount / fix
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box	welcome box
Optional accessories			
Selection of recommended setup solutions and audio systems	wall mount universal wall mount slim 432	floor stand motor stellar 77-83 table stand motor stellar 77-83 wall mount universal wall mount slim 432	floor stand motor stellar 77-83 table stand motor stellar 77-83 wall mount universal wall mount slim 432

● = available, ○ = optional, — = not available

* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference. All products for the U.S. market are compliant with FCC, UL, and U.S. electrical standards. Additional certifications are available upon request.

Technical data

Loewe stellar

65 smart display

55 smart display

Design	65 smart display	55 smart display
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory
Colour variant	alu brushed + concrete	alu brushed + concrete
Optional colour variant	alu black + lava	alu black + lava
Main materials applied	alu, concrete, glass	alu, concrete, glass
Individualization options (selection)	smart cover (2026)	smart cover (2026)
Prestigious Awards	iF Design, Red Dot	iF Design, Red Dot
Sustainable / regional resources and methods preferred	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	○ / ○ / ○ / ○ / ○	○ / ○ / ○ / ○ / ○
Sound solutions: passive, active, stereo, multi channel\	○ / ○ / ○ / ○	○ / ○ / ○ / ○
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB), LGD oc, LTY module	OLED (WRGB), LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	2.200 / 120°	2.200 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Audio		
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	● / - / ●	● / - / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart app	● / VIDAA Smart app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice
Media player / dlna player / browser	● / ● / ●	● / ● / ●
TV Channel+ / VOD premium services / AI comfort features	● / ● / ●	● / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel Mode	● / ● / ●	● / ● / ●
Connectivity and interfaces		
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A
USB-C: number x power	2 x 1.0 A	2 x 1.0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in (Cinch L/R)	● / -	● / -
Audio out control: fix / variable / sub (3.5 mm)	● / ● / ●	● / ● / ●
Loewe magic.light / magic.motion	● / ○ (via USB-A 2.0A)	● / ○ (via USB-A 2.0A)
Home automation / Control4 / Crestron	● (via IP) / ● / ●	● (via IP) / ● / ●
Power socket	C17 (D type)	C17 (D type)
Energy		
Energy Star	● (tba / target)	● (tba / target)
Maximum brightness (cd/m²)	tba	tba
Screen contrast ratio (%)	tba	tba
Refresh rate (Hz)	144	144
Power consumption max. @ audio 1/8 volume (watts)	400	400
Power consumption standby / network standby (watts)	0,4 / 0,6	0,4 / 0,6
Mains voltages / power switch / off mode (watts)	110-240 V, 50/60 Hz / ● / 0,0	110-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	22 / 24	18 / 20
W* x H x D (cm) without setup solution	146,8 x 88,8 x 4,7	124,9 x 76,5 x 4,7
W* x H x D (cm) incl. table stand	146,8 x 94,0 x 27,5	124,9 x 81,7 x 27,5
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●
Scope of delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand / ●	table stand / ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal wall mount slim 432 wall mount stellar	floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal wall mount slim 432 wall mount stellar

● = available, ○ = optional, — = not available

* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference. All products for the U.S. market are compliant with FCC, UL, and U.S. electrical standards. Additional certifications are available upon request.

Technical data

Loewe stellar

48 smart display

42 smart display

Design	48 smart display	42 smart display
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory
Colour variant	alu brushed + concrete	alu brushed + concrete
Optional colour variant	alu black + lava	alu black + lava
Main materials applied	alu, concrete, glass	alu, concrete, glass
Individualization options (selection)	smart cover (2026)	smart cover (2026)
Prestigious Awards	iF Design, Red Dot	iF Design, Red Dot
Sustainable / regional resources and methods preferred	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	○ / ○ / ○ / ○ / ○	○ / ○ / ○ / ○ / ○
Sound solutions: passive, active, stereo, multi channel\	○ / ○ / ○ / ○	○ / ○ / ○ / ○
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB), LGD oc, LTY module	OLED (WRGB), LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	121 / 48 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	800 / 120°	800 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Audio		
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	● / - / ●	● / - / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart app	● / VIDAA Smart app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice
Media player / dlna player / browser	● / ● / ●	● / ● / ●
TV Channel+ / VOD premium services / AI comfort features	● / ● / ●	● / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel Mode	● / ● / ●	● / ● / ●
Connectivity and interfaces		
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	1 x 1.0 A, 1 x 2.0 A	1 x 1.0 A, 1 x 2.0 A
USB-C: number x power	2 x 1.0 A	2 x 1.0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in (Cinch L/R)	● / -	● / -
Audio out control: fix / variable / sub (3.5 mm)	● / ● / ●	● / ● / ●
Loewe magic.light / magic.motion	● / ○ (via USB-A 2.0A)	● / ○ (via USB-A 2.0A)
Home automation / Control4 / Crestron	● (via IP) / ● / ●	● (via IP) / ● / ●
Power socket	C17 (D type)	C17 (D type)
Energy		
Energy Star	● (tba / target)	● (tba / target)
Maximum brightness (cd/m²)	tba	tba
Screen contrast ratio (%)	tba	tba
Refresh rate (Hz)	144	144
Power consumption max. @ audio 1/8 volume (watts)	200	400
Power consumption standby / network standby (watts)	0.4 / 0.5	0.4 / 0.5
Mains voltages / power switch / off mode (watts)	110-240 V, 50/60 Hz / ● / 0.0	110-240 V, 50/60 Hz / ● / 0.0
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	14 / 16	12 / 14
W* x H x D (cm) without setup solution	109,3 x 67,7 x 4,7	95,8 x 60,2 x 4,7
W* x H x D (cm) incl. table stand	109,3 x 72,9 x 19,5	95,8 x 65,4 x 19,5
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●
Scope of delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand / ●	table stand / ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal wall mount slim 432 wall mount stellar	floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal wall mount slim 432 wall mount stellar

● = available, ○ = optional, — = not available

* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference. All products for the U.S. market are compliant with FCC, UL, and U.S. electrical standards. Additional certifications are available upon request.