



Loewe stellar

VIDAA

The craft design TV with Loewe dual channel dr+ and Vidaa

High performance OLED modules designed, engineered and tailored by Loewe in Kronach

Dual channel dr+ system with twin triple-tuner and SSD for multi recording

Full support of HDMI 2.1 and Ultra HD @ 144 Hz VRR for high-speed gaming

Rich variety of smart streaming apps and VOD services with Vidaa OS

Powerful integrated sound bar for superior audio performance

Optional ultra-slim wall mount or motorized floor stand

Sophisticated design with real materials and magic moments of light and motion



LOEWE. was established by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923.

Today we still design, develop and produce consumer electronics – Made in Germany.

Data sheet
Loewe stellar vi
May 2026

LOEWE.

Home of Excellence.

www.loewe.tv



Loewe stellar vi

The craft design TV with Loewe dual channel dr+ and Vidaa



Home-made OLED modules

The latest generation and technology of OLED open cells with master black polarizer offer highest brightness and unparalleled motion picture performance in Ultra HD resolution.

The OLED modules are designed, engineered and tailored by Loewe in Kronach with alu-compound back-forming, massive alu frame and back-cover made of aluminum, concrete or lava.

Pre-calibrated in our factory and supporting Dolby Vision IQ, these displays meet all relevant filmmaker picture and colour standards for a perfectly natural and impressive reproduction of movie, TV and games.



Loewe dual channel dr+

Equipped with a dual channel chassis, double triple-tuners and a large SSD integrated in the 77-97 inch diagonals, the Loewe dr+ system offers multiple recording possibilities from EPG programmed recording to spontaneous timeshift functions.

Tuners for DVB-T2/C/S2 HD and an easy accessible CI slot support various reception and recording scenarios.

The Solid State Drive in the big screen models is perfect for video applications and both energy efficient, extra fast and absolutely noise-less for maximum comfort.



Vidaa OS

Loewe os9 based on Vidaa is a most convenient and fast smart operating system. The app store offers a curated selection of smart apps and a rich variety of video-on-demand services, including e.g. Netflix, YouTube, Disney+ and more.

The system is also compatible with advanced networking features: The support of dlna, Miracast, Apple AirPlay and Matter allow comfortable content sharing and control via the home network.

Flexible connectivity with HDMI 2.1 inputs including Ultra HD @ 144 Hz VRR ensures full support of latest game consoles.



Integrated sound bar and magic.light

Behind a high-gloss black spray-painted metal loudspeaker grill or special acoustic fabric in matt black, an impressive soundbar from 80 up to 300 watts fires directly to the front.

Framed in perfect harmony with the Loewe signature ring and the Loewe magic.light - for a discretely welcome and farewell animation or an atmospheric illumination during movie watching.

Simply adjust it as desired in any colour of the rainbow, at different brightness and saturation levels, by the touch of a button on the Loewe stellar remote.

The dedicated Center-Input allows to apply Loewe stellar 77-97 as the important Center-Speaker in a multi channel home cinema environment.



Design craftsmanship

Sophisticated craft design and clever construction details from the in-house Loewe design and innovation studio.

Created with selected real materials like a four-sided brushed full aluminum frame in a diamond-cut shape, real glas-fiber enforced concrete or aluminum on the back panel and a rotatable table stand made of massive aluminum with a fine hairline-brushed finish. The real concrete back-cover gives each TV its unique fingerprint.

All connections are hidden, and all cables are well guided and hidden by the integrated cable management plus cable covers in the light grey rear cabinet. The solid VESA bolts support any mounting solution.



Sophisticated setup solutions

The Loewe magic.motion feature rotates the TV set on the motorized optional Loewe floor stand motor stellar by a touch of a button on the Loewe remote stellar up to 45° left or right - absolutely silently and smooth.

Of course the floor stand is also made of massive aluminum with a fine hairline-brushed finish. The optional floor2ceiling stand creates a spectacular free-floating 360° presentation.

The optional or in stellar 77-97 already integrated Loewe wall mount stellar allows an impressive display presentation closely attached to the wall.

Loewe stellar vi

The craft design TV with Loewe dual channel dr+ and Vidaa

Achievements



“The Loewe stellar 65 dr+ stands out for its elegant design and cutting-edge tech crafted in Germany. Stellar isn’t just a television, it’s a showpiece that transforms your space.”

EISA, August 2025, about Loewe stellar 65 (model year 2025)

Best Product Award 2025-2026

PREMIUM OLED TV



“This television is a piece of furniture designed from all sides, which is characterised by aesthetics and a new design language and can be placed anywhere in the room.”

International Forum Design, spring 2025, about Loewe stellar 83-97 (model year 2025)

iF DESIGN AWARD 2025



reddot winner 2025

“The Loewe stellar 83 and Loewe stellar 97 televisions display their sophisticated aesthetics from every angle, thereby emphasising their positioning in the premium segment.”

Red Dot, summer 2025, about Loewe stellar 83-97 (model year 2025)

reddot winner 2025



“The TV model stellar shines with latest display technology, powerful hardware and new design language which lift an OLED TV in new dimension.”

International Forum Design, spring 2024, about Loewe stellar 42-65 (model year 2024)

iF DESIGN AWARD 2024



reddot winner 2024

“The Loewe stellar is an OLED television that, thanks to the modular construction of its display module, offers a multitude of possibilities for material combinations.”

Red Dot, summer 2024, about Loewe stellar 42-65 (model year 2024)

reddot winner 2024



“Made in Germany: This Loewe OLED surprises in the COMPUTER BILD test. The Loewe Stellar 55 vi is a luxury television with the best screen technology. It is currently the best television from the traditional German manufacturer.”

computerbild.de, 08.02.2026, about Loewe stellar 55 vi

Test result: TEST WINNER

Test mark: 1,2, very good

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

TV

Loewe stellar 77-97

Scope of delivery includes TV set with integrated sound bar and wall mount

stellar 97: W* x H x PD / TD = 218,2 x 133,8 x 7,0 / 7,1


stellar 83: W* x H x PD / TD = 187,5 x 116,5 x 7,0 / 7,1

stellar 77: W* x H x PD / TD = 173,9 x 108,9 x 7,0 / 7,1

flat and tiltable mounting

■ alu brushed + alu
■ alu black + black

Model	Article
stellar 97 vi	64468
stellar 83 vi	64464
stellar 77 vi	64459



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

TV

Loewe stellar 42-65

Scope of delivery includes TV set with integrated sound bar and table stand


stellar 65: W* x H x PD / TD = 146,8 x 94,0 x 4,7 / 27,5

stellar 55: W* x H x PD / TD = 124,9 x 81,7 x 4,7 / 27,5

stellar 48: W* x H x PD / TD = 109,3 x 72,9 x 4,7 / 19,5

stellar 42: W* x H x PD / TD = 95,8 x 65,4 x 4,7 / 19,5

table stand manually rotatable (+/- 45°), concealed cable routing



Model	Article
stellar 65 vi	64456
stellar 55 vi	64455
stellar 48 vi	64454
stellar 42 vi	64449



Subwoofer

Loewe klang sub1

Active wireless subwoofer
to complement the TV



klang sub1 60610

Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Setup solutions

Stand solutions

table stand motor stellar

stellar 83: W* x H x PD / TD = 187,5 x 122,7 x 7,0 / 41,0
stellar 77: W* x H x PD / TD = 173,9 x 115,2 x 7,0 / 41,0
motorized rotatable (+/- 45°), concealed cable routing

floor stand motor stellar

stellar 83: W* x H x PD / TD = 187,5 x 163,2 x 7,0 / 69,5
stellar 77: W* x H x PD / TD = 173,9 x 155,7 x 7,0 / 69,5
stellar 65: W* x H x PD / TD = 146,8 x 133,2 x 4,7 / 49,1
stellar 55: W* x H x PD / TD = 124,9 x 120,9 x 4,7 / 35,2
stellar 48: W* x H x PD / TD = 109,3 x 112,1 x 4,7 / 35,2
stellar 42: W* x H x PD / TD = 95,8 x 104,6 x 4,7 / 35,2
motorized rotatable (+/- 45°), concealed cable routing

floor2ceiling stand

stellar 65: W* x H x PD / TD = 146,8 x 220-290 x 4,7 / 15,6
stellar 55: W* x H x PD / TD = 124,9 x 220-290 x 4,7 / 15,6
stellar 48: W* x H x PD / TD = 109,3 x 220-290 x 4,7 / 15,6
stellar 42: W* x H x PD / TD = 95,8 x 220-290 x 4,7 / 15,6
manually rotatable (+/- 110°), concealed cable routing,
height adjustable (220-290 cm), direct mounting without adapter

floor stand flex

stellar 65: W* x H x PD / TD = 146,8 x 129,8 x 4,7 / 54,0
stellar 55: W* x H x PD / TD = 124,9 x 117,5 x 4,7 / 54,0
stellar 48: W* x H x PD / TD = 109,3 x 108,7 x 4,7 / 54,0
stellar 42: W* x H x PD / TD = 95,8 x 101,2 x 4,7 / 54,0
manually rotatable (+/- 45°), concealed cable routing,
with or without carrier for accessory tray or soundbar

floor stand universal

stellar 65: W* x H x PD / TD = 146,8 x 133,8 x 4,7 / 52,5
stellar 55: W* x H x PD / TD = 124,9 x 121,6 x 4,7 / 52,5
stellar 48: W* x H x PD / TD = 109,3 x 112,8 x 4,7 / 52,5
stellar 42: W* x H x PD / TD = 95,8 x 105,2 x 4,7 / 52,5
manually rotatable (+/- 45°), concealed cable routing



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Setup solutions

Wall solutions

wall mount stellar

stellar 65: W* x H x PD / TD = 146,8 x 88,8 x 4,7 / 6,5

stellar 55: W* x H x PD / TD = 124,9 x 76,5 x 4,7 / 6,5

stellar 48: W* x H x PD / TD = 109,3 x 67,7 x 4,7 / 6,5

stellar 42: W* x H x PD / TD = 95,8 x 60,2 x 4,7 / 6,5

flat and tiltable mounting

wall mount universal

stellar 65: W* x H x PD / TD = 146,8 x 88,8 x 4,7 / 9,0

stellar 55: W* x H x PD / TD = 124,9 x 76,5 x 4,7 / 9,0

stellar 48: W* x H x PD / TD = 109,3 x 67,7 x 4,7 / 9,0

stellar 42: W* x H x PD / TD = 95,8 x 60,2 x 4,7 / 9,0

tiltable mounting

wall mount slim 432

stellar 97: W* x H x PD / TD = 218,2 x 133,8 x 7,0 / 10,2

stellar 83: W* x H x PD / TD = 187,5 x 116,5 x 7,0 / 10,2

stellar 77: W* x H x PD / TD = 173,9 x 108,9 x 7,0 / 10,2




stellar 65: W* x H x PD / TD = 146,8 x 88,8 x 4,7 / 7,3

stellar 55: W* x H x PD / TD = 124,9 x 76,5 x 4,7 / 7,3

stellar 48: W* x H x PD / TD = 109,3 x 67,7 x 4,7 / 7,3

stellar 42: W* x H x PD / TD = 95,8 x 60,2 x 4,7 / 7,3

flat mounting



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Loewe stellar vi

The craft design TV with Loewe dual channel dr+ and Vidaa

System components

Loewe multi.room amp

Stereo amplifier for multiroom and homecinema installations with 1.200 watts total music power

 black



Model


multi.room amp

Article

61600

Loewe klang bar5 mr

5.1.2 Dolby Atmos soundbar with wireless subwoofer and 800 watts total music power

 basalt grey




klang bar5 mr

60601

Loewe klang bar3 mr

3.1 Dolby Atmos soundbar with integrated subwoofer and 360 watts total music power

 basalt grey




klang bar3 mr

60614

Loewe klang sub5

Any number of klang sub5 can be connected to a klang bar3 mr or klang bar5 mr at the same time

 basalt grey




klang sub5

60603

Loewe klang mr5

Wireless active speakers with 180 watts for multichannel home cinema or multiroom audio

 basalt grey




klang mr5

60606

Loewe klang mr3

Wireless active speakers with 150 watts for multichannel home cinema or multiroom audio

 basalt grey




klang mr3

60605

Loewe klang mr1

Wireless active speakers with 30 watts as rear surround or for multiroom audio

 basalt grey



klang mr1

60604

Loewe remote klang mr

Multifunctional IR remote control for Loewe klang mr and Loewe klang bar to operate all basic functions and sound settings

 black



remote klang mr

74000

Loewe **stellar vi**

The craft design TV with Loewe dual channel dr+ and Vidaa

Additional information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you:
Monday to Friday 09:00 – 17:00 o'clock
ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

Loewe stellar vi

97 vi

83 vi

77 vi

Design	97 vi	83 vi	77 vi
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory
Model family	stellar	stellar	stellar
Colour variant(s)	alu brushed + alu alu black + black	alu brushed + alu alu black + black	alu brushed + alu alu black + black
Optional colour variants	2	2	2
Main materials applied	alu, concrete, glass	alu, concrete, glass	alu, concrete, glass
Individualization options (selection)	—	—	—
Prestigious Awards	—	iF Design, Red Dot	iF Design, Red Dot
Sustainable / regional resources and methods preferred	● / ●	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	○ / ○ / ● / ○ / ○	○ / ○ / ● / ○ / ○	○ / ○ / ● / ○ / ○
Sound solutions: passive / active / stereo / multi channel	○ / ● / ● / ○	○ / ● / ● / ○	○ / ● / ● / ○
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	245 / 97 / 1	210 / 83 / 1	195 / 77 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	1.500 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●	● / ● / ●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
Reception			
DVB-T2 / C / S2 / HD / twin triple-tuner	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
DVB radio / DiSEqC / Unicable / dual channel	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Zattoo / HD+	● / ●	● / ●	● / ●
Audio			
Power (watts sine / music) / driver (active + passive)	2 x 75 / 2 x 150 / 6	2 x 75 / 2 x 150 / 6	2 x 75 / 2 x 150 / 6
Acoustic speaker concept	active bar + bass reflex	active bar + bass reflex	active bar + bass reflex
Front firing / down firing / 2-channel crossover	● / — / ●	● / — / ●	● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps			
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart TV app	● / VIDAA Smart TV app	● / VIDAA Smart TV app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice	● / VIDAA Voice
EPG / Number of stations in channel list	● / 10.000	● / 10.000	● / 10.000
Loewe dr+: integrated memory	1 TB SSD	1 TB SSD	1 TB SSD
Timeshift / USB recording / multi recording / multi view	● / ○ / ● / —	● / ○ / ● / —	● / ○ / ● / —
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●	● / ● / ●
FAST channels / VOD premium services / AI comfort features	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●	● / ● / ●
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (120 Hz)	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in / stereo out / cube connector	● / ● (Cinch L/R) / ● / —	● / ● (Cinch L/R) / ● / —	● / ● (Cinch L/R) / ● / —
Audio out control: fix / variable / sub (3.5 mm)	● / ● / ●	● / ● / ●	● / ● / ●
Loewe magic.light / magic.motion	● / ○ (via USB-A 2,0A)	● / ○ (via USB-A 2,0A)	● / ○ (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●
Power socket	C17 (D type)	C17 (D type)	C17 (D type)
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G (0,925) / F (0,828)	F (0,868) / G (0,928)	G (0,954) / G (1,001)
EPREL registration No.: https://eprel.ec.europa.eu	2383987	2384041	2384030
Energy consumption SDR / HDR (ca. kWh/1000h)	190 / 170	145 / 155	143 / 150
Power consumption cast mode / home automation (watts)	20	20	20
Power consumption max. @ audio 1/8 volume (watts)	800	700	650
Power consumption standby / network standby (watts)	0,5 / 0,7	0,5 / 0,7	0,5 / 0,7
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag: ca. 1 cm)			
Weight (ca. kg) excl. / incl. standard setup solution	66,5 / 68,2	50,8 / 52,5	47,8 / 49,5
W* x H x D (cm) without setup solution	218,2 x 133,8 x 7,0	187,5 x 116,5 x 7,0	173,3 x 108,9 x 7,0
W* x H x D (cm) incl. table stand	—	187,5 x 122,7 x 41,0	173,9 x 115,2 x 41,0
VESA support / Kensington lock	400 x 200 / —	400 x 200 / —	400 x 200 / —
Scope of Delivery			
Speaker	integrated (active soundbar)	integrated (active soundbar)	integrated (active soundbar)
Setup solution / rotating	integrated wall mount / fix	integrated wall mount / fix	integrated wall mount / fix
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box	welcome box
Optional accessories			
Selection of recommended setup solutions and audio systems	wall mount slim 432 multi.room amp	floor stand motor stellar 77-83 table stand motor stellar 77-83 wall mount slim 432 multi.room amp	floor stand motor stellar 77-83 table stand motor stellar 77-83 wall mount slim 432 multi.room amp

● = available, ○ = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe stellar vi

	65 vi	55 vi	48 vi	42 vi
Design				
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory
Model family	stellar	stellar	stellar	stellar
Colour variant(s)	alu brushed + concrete alu black + lava	alu brushed + concrete alu black + lava	alu brushed + concrete alu black + lava	alu brushed + concrete alu black + lava
Optional colour variants	3	3	3	3
Main materials applied	alu, concrete, glass	alu, concrete, glass	alu, concrete, glass	alu, concrete, glass
Individualization options (selection)	smart cover (2026)	smart cover (2026)	smart cover (2026)	smart cover (2026)
Prestigious Awards	iF Design, Red Dot, EISA	iF Design, Red Dot, EISA	iF Design, Red Dot, EISA	iF Design, Red Dot, EISA
Sustainable / regional resources and methods preferred	● / ●	● / ●	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	● / ○ / ○ / ○ / ○	● / ○ / ○ / ○ / ○	● / ○ / ○ / ○ / ○	● / ○ / ○ / ○ / ○
Sound solutions: passive / active / stereo / multi channel	● / ○ / ● / ○	● / ○ / ● / ○	● / ○ / ● / ○	● / ○ / ● / ○
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	2.200 / 120°	2.200 / 120°	800 / 120°	800 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
Reception				
DVB-T2 / C / S2 / HD / twin triple-tuner	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
DVB radio / DiSEqC / Unicable / dual channel	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Zattoo / HD+	● / ●	● / ●	● / ●	● / ●
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	● / — / ●	● / — / ●	● / — / ●	● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart TV app	● / VIDAA Smart TV app	● / VIDAA Smart TV app	● / VIDAA Smart TV app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice	● / VIDAA Voice	● / VIDAA Voice
EPG / Number of stations in channel list	● / 10.000	● / 10.000	● / 10.000	● / 10.000
Loewe dr+: integrated memory	●	●	●	●
Timeshift / USB recording / multi recording / multi view	● / ○ / ● / —	● / ○ / ● / —	● / ○ / ● / —	● / ○ / ● / —
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
FAST channels / VOD premium services / AI comfort features	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●	TV Channel+ / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)	● / ● / ● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
TOSLINK / center in / stereo out / cube connector	● / — / — / —	● / — / — / —	● / — / — / —	● / — / — / —
Audio out control: fix / variable / sub (3.5 mm)	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Loewe magic.light / magic.motion	● / ○ (via USB-A 2,0A)	● / ○ (via USB-A 2,0A)	● / ○ (via USB-A 2,0A)	● / ○ (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●	● (via IP) / ● / ● / ●
Power socket	C17 (D type)	C17 (D type)	C17 (D type)	C17 (D type)
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	E (0,697) / E (0,749)	F (0,790) / F (0,870)	G (0,922) / G (1,022)	G (0,950) / G (1,054)
EPREL registration No.: https://eprel.ec.europa.eu	2180883	2180879	2180878	2180872
Energy consumption SDR / HDR (ca. kWh/1000h)	79 / 85	68 / 75	63 / 70	58 / 58
Power consumption cast mode / home automation (watts)	15	15	15	15
Power consumption max. @ audio 1/8 volume (watts)	400	300	200	170
Power consumption standby / network standby (watts)	0,4 / 0,6	0,4 / 0,6	0,4 / 0,5	0,4 / 0,5
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0	220-240 V, 50/60 Hz / ● / 0,0
Dimensions (* incl. signature flag; ca. 1 cm)				
Weight (ca. kg) excl. / incl. standard setup solution	20,5 / 23,1	16,6 / 19,1	13,8 / 16,0	12,0 / 14,1
W* x H x D (cm) without setup solution	146,8 x 88,8 x 4,7	124,9 x 76,5 x 4,7	109,3 x 67,7 x 4,7	95,8 x 60,2 x 4,7
W* x H x D (cm) incl. table stand	146,8 x 94,0 x 27,5	124,9 x 81,7 x 27,5	109,3 x 72,9 x 19,5	95,8 x 65,4 x 19,5
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of Delivery				
Speaker	integrated	integrated	integrated	integrated
Setup solution / rotating	table stand / ●	table stand / ●	table stand / ●	table stand / ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Others	welcome box	welcome box	welcome box	welcome box
Optional accessories				
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand motor stellar, floor stand flex, floor stand universal, wall mount universal, wall mount slim 432, wall mount stellar, multi.room amp	floor2ceiling stand, floor stand motor stellar, floor stand flex, floor stand universal, wall mount universal, wall mount slim 432, wall mount stellar, multi.room amp	floor2ceiling stand, floor stand motor stellar, floor stand flex, floor stand universal, wall mount universal, wall mount slim 432, wall mount stellar, multi.room amp	floor2ceiling stand, floor stand motor stellar, floor stand flex, floor stand universal, wall mount universal, wall mount slim 432, wall mount stellar, multi.room amp

● = available, ○ = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe stellar vi

	65 vi	55 vi	48 vi	42 vi
Design				
Design Team	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio	Loewe Design & Innovation Studio
Development & construction	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team	Loewe R&D Team
Production & quality check	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory	Loewe Kronach Factory
Model family	stellar	stellar	stellar	stellar
Colour variant(s)	alu brushed + alu	alu brushed + alu	alu brushed + alu	alu brushed + alu
Optional colour variants	3	3	3	3
Main materials applied	alu, glass	alu, glass	alu, glass	alu, glass
Individualization options (selection)	smart cover (2026)	smart cover (2026)	smart cover (2026)	smart cover (2026)
Prestigious Awards	—	—	—	—
Sustainable / regional resources and methods preferred	●/●	●/●	●/●	●/●
Durable / service friendly / modular / repairable	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
Setup solutions: table / floor / wall / ceiling / motorized	●/○/○/○/○	●/○/○/○/○	●/○/○/○/○	●/○/○/○/○
Sound solutions: passive / active / stereo / multi channel	●/○/●/○	●/○/●/○	●/○/●/○	●/○/●/○
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module	OLED, LGD oc, LTY module
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	2.200 / 120°	2.200 / 120°	800 / 120°	800 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	●/●/●	●/●/●	●/●/●	●/●/●
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	●/●/●/●(incl. IQ PD) / ●	●/●/●/●(incl. IQ PD) / ●	●/●/●/●(incl. IQ PD) / ●	●/●/●/●(incl. IQ PD) / ●
Reception				
DVB-T2 / C / S2 / HD / twin triple-tuner	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●
DVB radio / DiSEqC / Unicable / dual channel	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)
Zattoo / HD+	●/●	●/●	●/●	●/●
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	●/—/●	●/—/●	●/—/●	●/—/●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●	●/●/●/●/●
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●
my Loewe app / smart apps (all: Android + iOS)	●/VIDAA Smart TV app	●/VIDAA Smart TV app	●/VIDAA Smart TV app	●/VIDAA Smart TV app
Voice control: Alexa Skills / other	●/VIDAA Voice	●/VIDAA Voice	●/VIDAA Voice	●/VIDAA Voice
EPG / Number of stations in channel list	●/10.000	●/10.000	●/10.000	●/10.000
Loewe dr+: integrated memory	●	●	●	●
Timeshift / USB recording / multi recording / multi view	●/○/●/—	●/○/●/—	●/○/●/—	●/○/●/—
Mediatext (HbbTV) / Teletext / splitscreen	●/●/●	●/●/●	●/●/●	●/●/●
Media player / dlna player / browser	●/●/●	●/●/●	●/●/●	●/●/●
FAST channels / VOD premium services / AI comfort features	TV Channel+ / ●/●	TV Channel+ / ●/●	TV Channel+ / ●/●	TV Channel+ / ●/●
Parental lock / Automatic turn-off / Timer	●/●/●	●/●/●	●/●/●	●/●/●
Software update (via USB / Internet) / Hotel mode	●/●/●	●/●/●	●/●/●	●/●/●
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1	1 / 2 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (144 Hz)	●/●/● (144 Hz)	●/●/● (144 Hz)	●/●/● (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A	2 x 1,0 A
Bluetooth / Miracast / AirPlay / Matter	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	●/●/●/●	●/●/●/●	●/●/●/●	●/●/●/●
TOSLINK / center in / stereo out / cube connector	●/—/—/—	●/—/—/—	●/—/—/—	●/—/—/—
Audio out control: fix / variable / sub (3,5 mm)	●/●/●	●/●/●	●/●/●	●/●/●
Loewe magic.light / magic.motion	●/○ (via USB-A 2,0A)	●/○ (via USB-A 2,0A)	●/○ (via USB-A 2,0A)	●/○ (via USB-A 2,0A)
Home automation / Control4 / Crestron / Basalte	● (via IP) / ●/●/●	● (via IP) / ●/●/●	● (via IP) / ●/●/●	● (via IP) / ●/●/●
Power socket	C17 (D type)	C17 (D type)	C17 (D type)	C17 (D type)
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	E (0,697) / E (0,749)	F (0,790) / F (0,870)	G (0,922) / G (1,022)	G (0,950) / G (1,054)
EPREL registration No.: https://eprel.ec.europa.eu	2180883	2180879	2180878	2180872
Energy consumption SDR / HDR (ca. kWh/1000h)	79 / 85	68 / 75	63 / 70	58 / 58
Power consumption cast mode / home automation (watts)	15	15	15	15
Power consumption max. @ audio 1/8 volume (watts)	400	300	200	170
Power consumption standby / network standby (watts)	0,4 / 0,6	0,4 / 0,6	0,4 / 0,5	0,4 / 0,5
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / ●/○,0	220-240 V, 50/60 Hz / ●/○,0	220-240 V, 50/60 Hz / ●/○,0	220-240 V, 50/60 Hz / ●/○,0
Dimensions (* incl. signature flag: ca. 1 cm)				
Weight (ca. kg) excl. / incl. standard setup solution	19,8 / 22,4	16,2 / 18,7	13,6 / 15,8	11,9 / 14,0
W* x H x D (cm) without setup solution	146,8 x 88,8 x 4,7	124,9 x 76,5 x 4,7	109,3 x 67,7 x 4,7	95,8 x 60,2 x 4,7
W* x H x D (cm) incl. table stand	146,8 x 94,0 x 27,5	124,9 x 81,7 x 27,5	109,3 x 72,9 x 19,5	95,8 x 65,4 x 19,5
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of Delivery				
Speaker	integrated	integrated	integrated	integrated
Setup solution / rotating	table stand / ●	table stand / ●	table stand / ●	table stand / ●
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	●/● (2,5 m, black)	●/● (2,5 m, black)	●/● (2,5 m, black)	●/● (2,5 m, black)
Others	welcome box	welcome box	welcome box	welcome box
Optional accessories				
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand motor stellar, floor stand flex, floor stand universal, wall mount universal, wall mount slim 432, wall mount stellar, multi.room amp	floor2ceiling stand, floor stand motor stellar, floor stand flex, floor stand universal, wall mount universal, wall mount slim 432, wall mount stellar, multi.room amp	floor2ceiling stand, floor stand motor stellar, floor stand flex, floor stand universal, wall mount universal, wall mount slim 432, wall mount stellar, multi.room amp	floor2ceiling stand, floor stand motor stellar, floor stand flex, floor stand universal, wall mount universal, wall mount slim 432, wall mount stellar, multi.room amp

● = available, ○ = optional, — = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.